

Web Images Maps News Video Gmail more ▾

Sign in



key (change OR update) concatenate

Search

Advanced Search
Preferences

Web

Results 1 - 100 of about 157,000 for key (change OR update) concatenate with Safesearch on. (0.33 second)

Repost: To Dev Ashish (Concat query) - bytes

Sponsored Links

Modify Key

Register for Free Business Software Demos. Registration Required!
www.2020Software.com

Fix Updates

Quickly Repair Windows Registry. Auto-Clean/Speed Up PC! 5 Stars.
www.PCPerformanceTools.com

This Will Organize You -

Avoid this site if you already have everything under control
OrganizeYourselfOnline.com

Update Patch

Fix Update Patch. Complete Scan. Free Download!
www.RegistrySmart.com

4 posts - Last post: Nov 13, 2005

I used your Concat query in one of my application,with a lil change.I am trying to concatenate a text field using a number field as the key ...

bytes.com/groups/ms-access/209061-repost-dev-ashish-concat-query - 36k -

Cached - Similar pages

Concatenate two fields to a third - help needed - bytes

3 posts - Last post: Nov 2, 2006

field2 doesn't update field3 and the database complains that I can't leave field3 empty (which is true as field3 is my primary key). ...

bytes.com/groups/ms-access/556386-concatenate-two-fields-third-help-needed - 37k -

Cached - Similar pages

More results from bytes.com »

free concatenate files download

pdf software automates the process of split, concatenate and append pdf files ... of this key, Property for each column of the table, Methods Update, Delete, count key words, change sentences, concatenate files, ... and a module to ...

3d2f.com/tags/concatenate/files/ - 70k - Cached - Similar pages

free file concatenation download

A file concatenation facility that performs the same operation as the command ... of this key, Property for each column of the table, Methods Update, Delete, count key words, change sentences, concatenate files, ... and a module to ...

3d2f.com/tags/file/concatenation/ - 69k - Cached - Similar pages

More results from 3d2f.com »

Primary key from concatenation? - dBforums

15 posts - Last post: Dec 4, 2005

I know concatenation is obtained though a query but how do I assign the value generated by the query to the primary key field? ...

www.databases.com/microsoft-access/1636074-primary-key-concatenation.html - 30k -

Cached - Similar pages

Substring and then concatenate to build key in logical file

May 17, 2005 ... KEY NXTFLD ETC K PFLD19 (define whatever fields or all fields - depending on how you want to change the code) Since the original KEY will ...

itknowledgeexchange.techtarget.com/answers/substring-and-then-concatenate-to-build-key-in-logical-file/ - 42k - Cached - Similar pages

register-list.el --- Interactively list/edit registers ...

Mar 9, 2008 ... (defvar register-list-concat-key-select 'last) ;; FIXME skip rectangle (or (r-f-chg (next-single-property-change (point) 'register nil eol)) (r-f-prop (function) "Update the register key by applying FUNCTION. ...

lumierra.ens.fr/~guerry/tu/register-list.el - 25k - Cached - Similar pages

Access Re: Concatenate Serial # and Part # to create value for key ...

4 posts - Last post: Jan 10

I created an append query that concatenates the PN and SN fields to CellID which becomes the Key field in the primary table. ...

www.eggheadcafe.com/software/aspnet/33785993/concatenate-serial--and.aspx - 36k -

Cached - Similar pages

Access queries I need to concat multiple records for SKU

3 posts - Last post: Feb 6, 2007

The primary key for "dvd" is "DV_ID" and "Dcovers" contains a field named So the goal is ... good specifications and a system of managing projects that includes change control. ... Windows Vista Windows XP Windows Update ...

www.eggheadcafe.com/software/aspnet/29190879/need-to-concat-multiple.aspx - 38k -

Cached - Similar pages

More results from www.eggheadcafe.com »

```
import java.io.FileOutputStream; import java.io.IOException ...
toLowerCase()); a = a.union(b); return a; } Automaton commaplus(Automaton e) { return
e.concatenate(s0).concatenate(operator("(")).concatenate(s0) ...
```

www.brics.dk/JS/A/examples/SqlAutomaton.java - 8k - Cached - Similar pages

MySQL :: Help with UPDATE using CONCAT on longtext fields

Jun 28, 2006 ... I'm trying to use UPDATE to concatenate the node_revision.body and

weblink.weblink fields, where they share foreign key nid. ...

forums.mysql.com/read.php?10,99245 - 11k - Cached - Similar pages

Microsoft Dynamics CRM 4.0 - Unleashed: CRM 4.0 Concatenating ...

Feb 14, 2009 ... You must add it to the post-create and post-update unsecure configuration boxes. Key entityId = new Key(new Guid(this.Context. Change Cases Associated Default View - Creating an UpDown Control ...

mscrm4ever.blogspot.com/2009/02/crm-40-concatenating-fields-plug-in.html - 88k -

Cached - Similar pages

Concatenate float data type - comp.databases.ms-sqlserver | Google ...

6 posts - Last post: Oct 22, 2005

I have a need to make a group of records [sic: rows are not records] 'unique' by concatenating a foreign key value to another field [sic]. ...

groups.google.com/group/comp.databases.ms-sqlserver/browse_thread/thread/7fd61aa45766e53c1 - 79k - Cached - Similar pages

[how to concatenate two streams - comp.lang.lisp | Google Groups](#)

6 posts - Last post: Jan 28

Please update your nickname on the subscription settings page before posting. ... Yes, just concatenate the streams with the above mentioned function, ... the :input key > of sb-ex:run-program ? try something like ...

[groups.google.com/group/comp.lang.lisp/browse_thread/thread/c3afb30af81a8734 - 82k](#) -

Cached - Similar pages

[More results from groups.google.com >](#)

[CodeToad - Concatenate strings in sql.](#)

Jun 27, 2005 ... how do i update several fields at a time concurrently from the ASP??? the

update query needs a primary key for the row to be selected but ...

[www.codetoad.com/asp_sql_concatenate.asp - 35k](#) - Cached - Similar pages

[Concatenate anonymous hash ref](#)

Oct 14, 2008 ... The hash refs are a return from a function. I want to concatenate the return from successive calls. Update: Thanks for the good ideas! ...

[www.perimonks.org/?node_id=717037 - 28k](#) - Cached - Similar pages

[Concatenate field in many side table - Access World Forums](#)

6 posts - Last post: May 7, 2003

I need to use this in an update query (I suppose) as I am using the ... If there is a way to change the code to look at all parts do I only need ... it was supposed to be an Autonumber primary key but I'm sure the cheat ...

[www.access-programmers.co.uk/forums/showthread.php?t=47281 - 57k](#) -

Cached - Similar pages

[Best windows xp concatenate files](#)

The new version 4.1 include a module to make changes in source files, as add or remove lines, count key words, change sentences, concatenate files, ...

[www.vicman.net/download/5002/ - 27k](#) - Cached - Similar pages

[Grafix plugins for Adobe Illustrator](#)

Concatenate is a plugin filter for Adobe Illustrator that connects two or ... Press the Shift key, and paths will be made square along the current constrain angle. ... Note that it will change to indicate when it's over a path or a point. ... new proofblocks created, or to update the proof number and date fields. ...

[qj-grafix.com/software/plugins.html - 60k](#) - Cached - Similar pages

[db2 convert integer varchar concatenate | MySQL Performance Blog](#)

Post: INSERT ON DUPLICATE KEY UPDATE and summary counters. Posted by peter ... shows one more neat feature of MySQL - inet_aton and inet_ntoa functions which ...

[www.mysqlperformanceblog.com/?s=db2+convert+integer+varchar+concatenate - 47k](#) -

Cached - Similar pages

[MYSQL :: SELECT CONCAT\(\) Subquery](#)

I'm trying to use UPDATE to concatenate the node_revision.body and weblink.weblink fields, where they share foreign key nid. So the resulting node_revisions ...

[www.bigresource.com/MYSQL-SELECT-CONCAT-Subquery-S5cipzqO.html - 52k](#) -

Cached - Similar pages

[MS SQL Server :: Concatenate On Update Join](#)

Concatenate/Update A Record; Update Using An Inner Join position in customer table 2 and then change the ID and contact numbers in table 2 to match ...

[www.bigresource.com/MS_SQL-concatenate-on-update-join-7HeEozDC.html - 62k](#) -

Cached - Similar pages

[More results from www.bigresource.com >](#)

[Bug 230063 -- TypeError: cannot concatenate 'str' and 'int' objects](#)

Only members of a group can change the visibility of a bug for that group. ... buffer = buffer
+ key + "=" + value + " " TypeError: cannot concatenate 'str' ...
https://bugzilla.redhat.com/show_bug.cgi?id=230063 - 31k - Cached - Similar pages

[PDF] On O (1) concatenation of dequeues with heap order

File Format: PDF/Adobe Acrobat - View as HTML

has a real-valued key and the operation of finding an item of minimum key is ... it, or
change its value in $O(\log n)$ worst case time, while the data structure Update all the
internal nodes in the left-most path of T ...
www.pmg.lcs.mit.edu/~chandra/publications/dequeue.pdf - Similar pages
by C Boyapati - Cited by 1 - Related articles - All 6 versions

[dylan] View of /trunk/libraries/network/web-framework/command.dylan

module: change author: Hannes Mehnert <hannes@mehnert.org> define abstract class ...
#key base-url) with-xml() li { text(concatenate(triple slot-name, ...
<https://www.gwydiondylan.org/cgi-bin/viewvc.cgi/trunk/libraries/network/web-framework/command.dylan?view...> - 33k - Cached - Similar pages

Physical and Logical Files, CONCAT

... sequence in which the data is moved to the physical file on an update or insert operation.
... If you want to use a field defined using the CONCAT keyword or a field ... the value
placed in the physical record does not change because the fields ... Key field name.
Related reference. CONCAT (Concatenate) keyword ...
publib.boulder.ibm.com/infocenter/adthelp/v7r0/topic/com.ibm.stools.series.langetr2.doc/rzakb/rzakbmstfconcat.htm - 12k - Cached - Similar pages

RE: closing issue 98: "Concatenate 0/1 before maki: msg#00062 ietf ...

generation of the session key depends exclusively on the > home cookie (section 5.2.5). >
> 6. In section 6.1.7 (Binding Update (BU) Message): > > Change ...
osdir.com/ml/ietf.mobileip/2002-10/msg00062.html - 23k - Cached - Similar pages

Re: closing issue 98: "Concatenate 0/1 before maki: msg#00084 ietf ...

generation of the session key depends exclusively on the home cookie (section 5.2.5). If the
Home Registration (H) bit is set in the Binding Update, ...
osdir.com/ml/ietf.mobileip/2002-10/msg00084.html - 19k - Cached - Similar pages
[More results from osdir.com »](#)

[PDF] cat file Concatenate the file (output the contents). cd directory ...

File Format: PDF/Adobe Acrobat - View as HTML

Concatenate the file (output the contents). cd directory cd. Change (move into) directory.
Change backtohome directory. chmod. +x file Change the mode ...
biokcd.informatics.indiana.edu/~huiwang/i529Lab/Lab1/UnixCommand.pdf - Similar pages

Howto concatenate strings in the reg.exe command? - MSFN Forums

5 posts - Last post: Dec 12, 2007

one or both of the strings contains spaces in the key name. ... so that I can change the
registry remotely on any computer in my local home subnet. What User Contributed
Update Lists, I/- Vista Codec Package ...
www.msfm.org/board/index.php?showtopic=109005 - 60k - Cached - Similar pages

MSFN Forums > Howto concatenate strings in the reg.exe command?

Dec 11, 2007 ... file which then is merged with the registry key and then executed by the
reg.exe command so that I can change the registry remotely on any ...
www.msfm.org/board/oloverview/index.php/t109005.html - 14k - Cached - Similar pages
[More results from www.msfm.org »](#)

Concatenate a Variable?

15 posts - Last post: Nov 20, 2002

yeah, the idea being just to request the URL and concatenate it to match the primary
key...its for that directory. ... The speed gain is not huge, but it's a simple 1-for-1 change

that "does" give you an efficiency gain. ...
www.webmasterworld.com/forum88/1048.htm - Similar pages

Free concatenate Download - concatenate Software

Can concatenate image files to one pdf file. Can change the resolution of the key generators is illegal and prevent future software development. ...
wareseeker.com/free-concatenate/ - 64k - Cached - Similar pages

Concatenate Inc. - Technology

Technologies at Concatenate Inc. ... As an active member of key early adoption programs from Microsoft, Concatenate ensures what we build ... If you already have a software solution, and want to update it or move it to the next level, ...
www.concatenateinc.com/technology.aspx - 24k - Cached - Similar pages

adam machanic now blogs at <http://sqlblog.com> : Rowset string ...
 I did change two things due to problems I discovered during testing. ... Update, February 28, 2005: Modified the adaptation of Rob Volk's method to use a CREATE TABLE instead of ... re: Rowset string concatenation: Which method is best? A table is not properly formed unless a Primary Key has been assigned ...
www.sqljunkies.com/WebLog/amachanic/archive/2004/11/10/5065.aspx - 64k - Cached - Similar pages

Best free concatenate downloads. View/Edit/Manage .dbf files w ...
 The new version 4.1 include a module to make changes in source files, as add or remove lines, count key words, change sentences, concatenate files. ...
www.freedownloadmanager.org/downloads/concatenate_software/ - 47k - Cached - Similar pages

How do you concatenate two queries? - Django users | Google Groups

19 posts - Last post: Mar 21, 2008
 Please update your nickname on the subscription settings page before ... tough (both querying the same foreign-key value for the same ...
groups.google.ca/group/django-users/browse_thread/thread/d22e8a81378cf0e2 - 134k - Cached - Similar pages

Excel 2007:Merge or join or concatenate column contents using ...
 you can concatenate or merge the contents (text or number values) of two cells (or columns of ... Excel 2007: change text alignment or angle in excel 2007 ...
techblissonline.com/excel-merge-join-concatenate-column-values-contents-2007/ - 60k - Cached - Similar pages

ORACLE: UPDATE using two tables, Concatenation - Stack Overflow

3 posts
 ORACLE: UPDATE using two tables, Concatenation updating primary key of master and child tables for large tables - Wrap an Oracle schema update in a ...
stackoverflow.com/questions/542419/oracle-update-using-two-tables-concatenation - 37k - Cached - Similar pages

How to: Concatenate Multiple Strings (C# Programming Guide)

When you concatenate string literals or string constants by using the + operator, ... Today is 1/22/2008. How are you today? // Press any key to exit. // ...
msdn.microsoft.com/en-us/library/ms228504.aspx - 25k - Cached - Similar pages

Running an update query to concatenate a field from a master table ...

I have a table that has a master key and a second table with many records ... I want to update a memo type field on the master table with a concatenation of.... Change this line. Set rcsDetail = CurrentDb.OpenRecordset("tblDetail") ...
www.experts-exchange.com/Microsoft/Development/MS_Access/Q_23155043.html - 80k - Cached - Similar pages

How to concatenate two fields in a textbox one integer and other ...

So in your example if the primary key (and clustering key) of Orders is ... the same query (changing the value of the variable does not change the query). ... an error report and received a message that I needed to download an update. ...

www.windows-tech.info/15/7826b0c79de2ff71.php - 35k - Cached - Similar pages

Swing Software at FilesLand

Buttons Ok (update and insert), Cancel and delete are added with behind code. ... count key words, change sentences, concatenate files, ... and a module to ...

www.filesland.com/companies/Swing/products.html - 15k - Cached - Similar pages

[#JBSEAM-2471] add s.concat and s.range functions - jboss.org JIRA

Key: JBSEAM-2471. Type: Feature Request. Status: Open. Priority: Minor. Assignee: Dan Allen ... My #1 EL pet peeve is that there is no way to concatenate a string. ... Change by Pete Muir - 24/Jan/08 07:08 PM. Fix Version/s, 2.1.0. ...

<https://jira.jboss.org/jira/browse/JBSEAM-2471?sessionId=F576264961D8020D6D6B56B43C6D01A7?page...> - 42k - Cached - Similar pages

[#RMK-635] rmake traceback building tmpwatch=dev:[x86_64 ...

Key: RMK-635. Type: Bug. Status: Closed. Resolution: Fixed ... line 1134, in request raise ProtocolError(TypeError: cannot concatenate 'str' and 'NoneType' objects 16:49:09 ...

Change by Derrick Devine - Deleted - 08/Oct/07 10:04 AM ...

<https://issues.rpath.com/browse/RMK-635?sessionId=CD057DEF08106A9A764CA646E5B3E9CF?page...> - 82k - Cached - Similar pages

Concatenate Pdf - Download Concatenate Pdf Shareware by I ...

concatenate Pdf software automates the process of concatenate, append and split ... arraylist of sub classes for each foreign key, according to the direction of this key, ... update and quick access to saved products, customers, and. ...

www.fileguru.com/Concatenate-Pdf/info - 38k - Cached - Similar pages

Concatenate Software - Pdf Concatenate Software, Connect PDF ...

PDF Concatenate Software lets you concatenate PDF documents quickly by ... By using the cursor keys together with Command-, ctrl- and alt-key you can cut ...

finaldownload.com/software/concatenate.html - 106k - Cached - Similar pages

Concatenate Records Text Field

Denormalize table records: Concatenate multiple text records into a single text string. ... VB6 Change Case · Calculate Running Sum · VB Concatenate Records · VB CreateQueryDef · VB6 Database Path ... The Allergy_ID is a foreign key to our allergy lookup table: Update End With rst.MoveNext. Loop rst.Close ...

www.blueclaw-db.com/concatenate_multiple_records_one_field.htm - 24k -

Cached - Similar pages

module: ordered-tree synopsis: A tree structure with children in ...

If cached-change-count < tree.change-count, cache is invalidated. A change /// to a node's value doesn't count as a real change. define function node (key ...

www.opendylan.org/cgi-bin/viewvc.cgi/trunk/sandbox/dydoc/support/ordered-tree.dylan -

12k - Cached - Similar pages

Surrogate Key Generation in DataStage - An elegant way

This site may harm your computer.

Feb 14, 2008 ... In the transformer as noted above, concatenate "Environment Variable : Running job number variable" to get the surrogate key. ...

it.toolbox.com/blogs/dw-soa/surrogate-key-generation-in-datastage-an-elegant-way-22482 -

Similar pages

Microsoft: Access Tables and Relationships - Concatenate field in ...

I want To Click on an Update button - Have Access Grab that Spread sheet and

concatenate those comments. There are approx 22000 data rows in that ...
www.tsk-tips.com/viewthread.cfm?qid=1434502&page=5 - 43k - Cached - Similar pages

(in-package "ACL2") (defun e/d-fn (theory e/d-list enable-p ...
 When we update a list with a new key, its length ;; increases by 1. (defthm update-alist-
 works-4-1 (implies (and key (assoc-equal key1 alist1)) (equal (len ...
www.cds.uidaho.edu/IPM/final-code/util.lisp - 9k - Cached - Similar pages

[#WW-2330] unable to concatenate strings in the value attribute of ...
 Change by James Holmes - 28/May/08 08:10 AM. Summary, concatenate strings in the
 value attribute of the set tag, unable to concatenate strings in the value ...
<https://issues.apache.org/struts/browse/WW-2330?sessionId=1DCA2D9D46DBB560440A1CF3B33DA632?pag...> - 46k - Cached - Similar pages

[#FL-442] wine-doors: TypeError: cannot concatenate 'str' and ...
 Key: FL-442. Type: Bug. Status: Resolved. Resolution: Cannot Reproduce. Priority: Normal.
 Assignee: Ken VanDine ... All, Comments, Change History, Sort Order: ... Ken, as you
 originally packaged this, can you please update to 0.1.1? ...
<https://issues.foresightlinux.org/browse/FL-442> - 28k - Cached - Similar pages

Adam Machanic : Rowset string concatenation: Which method is best?
 I did change two things due to problems I discovered during testing. ... Ident INT IDENTITY
 (1,1) NOT NULL PRIMARY KEY) INSERT #AuthorConcat ... Update, February 28, 2005:
 Modified the adaption of Rob Volk's method to use a CREATE ...
sqloblog.com/blogs/adam_machanic/archive/2006/07/12/rowset-string-concatenation-which-method-is-best.aspx - 69k - Cached - Similar pages

Concatenate two pdf files
 change pdf versionf change pdf version...; In this program we are going to change the It
 takes the two values of the string types like: key and val. ...
www.roseindia.net/software-tutorials/detail/18397 - 54k - Cached - Similar pages

Concatenate Results into A Single Field
 10 posts - Last post: Jun 15, 2008
 Um... nope... a single update will update any given value once and What's wrong with a
 good ol' concatenation function that works in 2k ...
www.sqlservercentral.com/Forums/FindPost517236.aspx - Similar pages

SQL to concatenate column values from multiple rows - Toolbox for ...
 This site may harm your computer.
 Would it be possible to construct SQL to concatenate column values from multiple rows?
 SELECT ... FROM T1, T2 WHERE T1.key#H3DT2.fkey (group by key?); ...
oracle.ittoolbox.com/groups/technical-functional/oracle-db-tuning-/sql-to-concatenate-column-values-from-multiple-rows-965930 - Similar pages

Concatenate string: JOIN tables : Function In Join « Function ...
 Concatenate string: JOIN tables : Function In Join « Function « SQL / MySQL ...
 FOREIGN KEY (ArticleID) REFERENCES Articles (ArticleID)) ENGINE=INNODB; ...
www.java2s.com/Code/SQL/Function/ConcatenatestringJoinTables.htm - 35k -
 Cached - Similar pages

Concatenating Hash's - Ruby
 3 posts - Last post: Jul 2, 2003
 In message "Re: Concatenating Hash's" on 03/07/02, "Simon Strandgaard" <
 0bz63fz3m1qt3001@sneakemail.com> writes: |How is Hash#update ...
www.justskins.com/forums/concatenating-hashes-8190.html - 22k - Cached - Similar pages

GNU tar - GNU tar Operations
 --update (-u) is not suitable for performing backups for two reasons: it does not change
 directory content entries, and it lengthens the archive every ...

www.api.jhu.edu/Misc/Unix-info/tar/tar_4.html - 51k - [Cached](#) - [Similar pages](#)

SQL Concatenate Function

This section introduces how to concatenate strings in SQL. ... Concatenate str1, str2, str3, and any other strings together. ... SQL FOREIGN KEY ...

www.1keydata.com/sql/sql-concatenate.html - 13k - [Cached](#) - [Similar pages](#)

[#HHH-3424] concat() with param binding fails function on derby ...

Key: HHH-3424. Type: Improvement. Status: Closed. Resolution: Fixed ... Derby does not accept queries in which concat is used to attempt to concatenate params. For example:

concat(?, ? ... Change by Steve Ebersole - 09/Sep/08 04:42 PM ...

opensource.atlassian.com/projects/hibernate/browse/HHH-3424?sessionId=a0Qat6MLFqFaLLoWc2?page=com.atlassian... - 54k - [Cached](#) - [Similar pages](#)

Concatenating Row Values in Transact-SQL

Scalar UDF with t-SQL update extension. Scalar UDF with variable concatenation in SELECT DECLARE @tbl TABLE (id INT PRIMARY KEY, list VARCHAR(8000)) ... statistics etc or even a change of a simple expression in the SELECT list or ...

www.simple-talk.com/sql/t-sql-programming/concatenating-row-values-in-transact-sql/ - 192k - [Cached](#) - [Similar pages](#)

Joomla! • View topic - All in one solution for Gzip, Minify ...

All in one solution for Gzip, Minify, Emebed, Concatenate and change them as follows (replace "certificate" with your own filename and for more ... I mean after we key-in the domain and Enter (start), the browser takes from 1 till ...

forum.joomla.org/viewtopic.php?p=1575563 - 88k - [Cached](#) - [Similar pages](#)

Java Tips - How to use Concat task

Concatenate a series of files, update the destination file only if is older than the source ... A Morph object to animate a shape between two key shapes ...

www.java-tips.org/other-api-tips/ant/how-to-use-concat-task.html - 52k - [Cached](#) - [Similar pages](#)

New VTK transform classes

If you modify one of the transforms (e.g. change the ThinPlateSpline control points) the concatenation will automatically update to reflect the change. ... Key-frame interpolation can already be done in VTK with the old vtkTransform, ...

www.vtk.org/pipermail/vtkusers/2000-March/049652.html - 9k - [Cached](#) - [Similar pages](#)

Free concatenate 13.0 Download - concatenate 13.0 Mac Software

You can change the type and the creator of the documents. ... This update corrects two small but significant problems pointed out by users. ...

mac.wareseeker.com/free-concatenate-13.0/ - 45k - [Cached](#) - [Similar pages](#)

RE: [xsl] Unique node and delimiter concatenation

Mar 29, 2007 ... This change at more than one place in your code is giving the output as "1 ... <xsl:key name="getUniqueData" match="PRODUCT_NUMBER" use="..."

www.biglist.com/lists/xsl-list/archives/200703/msg00661.html - 8k - [Cached](#) - [Similar pages](#)

Domino 2.0 » In search for the fastest string concatenation method ...

I am building lots of HTML pages entirely by concatenating strings lately, so I have made a test to find out which ... A LotusScript class to handle Query_String key/values Do the timing result change if you change the sequence? ...

blog.lotusnotes.be/domino/archive/2008-01-14-concatenate-string-test.html - 18k - [Cached](#) - [Similar pages](#)

Split&Concat homepage

the "resource fork" of every file that you split or concat would be lost. Update for G3 computers only. The version 2.3.1 still appeared to be not The Esc key now releases the input panel (where you indicate the file size for ...

[www.xs4all.nl/~loekjehs/Split&Concat/ - 35k - Cached - Similar pages](#)

[conv_for_bas software. A great tool for FORTRAN to Visual BASIC ...](#)

Status, Major Update. Languages, English, French ... count key words, change sentences, concatenate files, ... and a module to change date/hour on many ...
[www.allworldsoft.com/software/3-123-conv-for-bas.htm - Similar pages](#)

[UPDATE question -- sql server programming](#)

I have three fields which I want to concatenate into one, but I want the key, and that would mean I need to change almost everything to make it work ...
[www.developmentnow.com/g/112_2004_7_0_0_439903/UPDATE-question.htm - 34k - Cached - Similar pages](#)

[Concatenate two columns? Excel Add-ins and Templates](#)

Select 'Change as appropriate For Each site In Range("B1:B2") 'Change as appropriate ... Also please inform which part/parts of macro has been update as it will ... Value, Key:=ce.Offset(0, 20).Value On Error GoTo 0 End If Next ce Call ...
[www.business-spreadsheets.com/solutions.asp?q=Concatenate+Two+Columns%3F - 65k - Cached - Similar pages](#)

[SQL Server Forums - concatenate varchars that look like floats?](#)

4 posts - Last post: Jun 4, 2004
 Here's the key code: update #data_holder. SET #data_holder.col1 = master_table.prime + ... Change to varchar fixes it. Go to Top of Page ...
[www.sqlteam.com/forums/topic.asp?TOPIC_ID=35839 - 37k - Cached - Similar pages](#)

[Audacity Forum • View topic - Easy way to concatenate a bunch of ...](#)

10 posts - Last post: May 23, 2008
 Press the "End" key. Press Ctrl + V Select track 3 ... Update - you can do what you are asking for with foobar2000, but again it is a ...
[audacityteam.org/forum/viewtopic.php?t=28&t=4566 - 24k - Cached - Similar pages](#)

[Pinin' for the fjords - How to concatenate several PDF files](#)

<add key="connStr" value="server=server_name_or_ipaddress; Initial Catalog=database_name; User Id=username; ... update thetable set thepassfield=(select p from #rp) where id=@a ... Find / change the datatype for multiple columns/tables ...
[razvan.cosma.name/weblog/index.php?m=03&y=08&entry=entry060302-150037 - 28k - Cached - Similar pages](#)

[Concatenate multiple reports - Pentaho Community Forums](#)

If I go with verison 0.8.9, do I have to modify the files or just change the Create a table for the master report that contains the invoice-key and the ...
[forums.pentaho.org/showthread.php?p=206941 - 83k - Cached - Similar pages](#)

[From npm@threejane.eit.com Fri Sep 23 17:40:02 EDT 1994 Article ...](#)

Completion occurs on <space> key entry. ; User may also use the following ... the alternative is to change WINTERP source so that intrinsic widget ;; classes ... :XMN_DIRECTORY (concatenate 'string outstr "/"))) (progn ;; Update the ...
[www.cs.cmu.edu/ats/cs/project/ai-repository/ai/fang/lisp/gui/winterp/filecomp.txt - 19k - Cached - Similar pages](#)

[Surrogate Key Generation in DataStage - An elegant way : Utopian ...](#)

Jul 8, 2008 ... In the transformer as noted above, concatenate "Environment Variable : Running job number variable" to get the surrogate key. ...
[ubliis.net/techblog/index.php/2008/surrogate-key-generation-in-datastage-an-elegant-way/ - 25k - Cached - Similar pages](#)

[microsoft.public.sqlserver.programming: Re: concatenate function](#)

I like to know if there is concatenate function available in SQL script. >> I >> like to combine two columns together as a unique key. Please help. ...

www.tech-archive.net/Archive/SQL-Server/microsoft.public.sqlserver/programming/2004-12/4360.html - 14k - Cached - Similar pages

[\[#JRUBY-3252\] Iterative String concatenation operations in JRuby ...](#)

Key: JRUBY-3252. Type: Improvement. Status: Resolved ... Both of them use the same algorithm to concatenate, ie. allocate new string s3, copy str1 into s3, ...

jira.codehaus.org/browse/JRUBY-3252 - 47k - Cached - Similar pages

[Pdf Connector - pdf connector software automates the process of ...](#)

PDF Size optimization is upto 50% better than concatenating files in ... is used for several organizations whose key products are identification cards, ... end user can change the company control setting including security, invoice, ... Visitors Online: 27 | Total Downloads: 1945141 | Last Update: February 17th 2009.

www.ab-archive.com/programs/applications/inventory_systems/pdf_connector.html - 36k - Cached - Similar pages

[Zapatec AJAX Forums :: View topic - best strategy for .js ...](#)

8 posts · Last post: Jan 6

So if I concatenate all files into a single file (application.js for Every little bit helps, combining three key principles will give us the best ... Can we easily change Zapatec code to not load files dynamically? ...

forum.zapatec.net/viewtopic.php?t=559&sid=521ecc2d15d16c2734533d6aaa438686 - 55k - Cached - Similar pages

[Compare a Column range "if true" Concatenate 3 other columns into ...](#)

11 posts · Last post: Apr 14, 2008

Tip: Click Here to Update All Your PC's Outdated Drivers Sub ConcatRow() 'Change the line below to reflect the true starting row ... And if I can be so bold to ask for a "new line or key " after every date to ...

forums.techguy.org/business-applications/703131-compare-column-range-if-true.html - 72k - Cached - Similar pages

[Download Concat 5.0.0.1 Free Trial - ConCat/Split provides ...](#)

Mar 6, 2007 ... Update 7.01.02.39 [February 18, 2009] 69059. RemoveWGA 1.2 57458. Y! Multi Messenger 8.x and 9.x ... Here are some key features of "Concat": ...

www.softpedia.com/get/System/Hard-Disk-Utils/Concat.shtml - 64k - Cached - Similar pages

[Non-systematic and non-linear PC-TCM \(Parallel Concatenate Trellis ...](#)

That you can change your PatentStorm profile information and email preferences? To update your information, log in and follow the link to My Account ... 8 PSK (8 Phase Shift Key) and 16 QAM (16 Quadrature Amplitude Modulation) among ...

www.patentstorm.us/patents/7221714.html - Similar pages
by CR Jones - 2007 - Related articles - All 4 versions

[What are the new features available in MySQL 4.1? - Help Center ...](#)

Nov 12, 2008 ... New clause to INSERT: ON DUPLICATE KEY UPDATE ... However, REPLACE is not suitable if you wish to change only some columns of the old row. ... The purpose of the GROUP_CONCAT() function is to concatenate column values ...

help.godaddy.com/article/2384 - 14k - Cached - Similar pages

[comp.unix.programmer: Re: \[bash\] how concatenate 2 string variables](#)

How can I concatenate these 2 variables in third? (c="tototiti") ... just like the above. ... shells in UNIX environments have startup files to customize the key ... The shutdown command said to change the shell back to /sbin/sh, ...

unix.darkeriefel.com/NewsGroups/comp.unix.programmer/2004-06/0369.html - 11k - Cached - Similar pages

[Concatenate field based on unique id. \(Follow up\)](#)

update query and determinism • FOREIGN KEY problem on Creating new table ... using

RAISERROR • Cannot change DB context in cursor • BULK INSERT from a table ...
www.bokabb.com/dev/english/2011/posts/2011124102.shtml - 19k - Cached - Similar pages

Adaptive Frame Concatenation Mechanisms for QoS in Multi-Rate ...
 wireless ad-hoc network is a key concern for service providers. frame size may change
 and a different concatenation number ...
ieeexplore.ieee.org/iel5/4509594/4509595/04509761.pdf?arnumber=4509761 -
 Similar pages
 by M Li - 2008 - Cited by 1 - Related articles

CertiGuide to A+ (A+ 4 Real) - cat - Concatenate Files And Print ...
 touch - Change File Time Stamps ... cat - Concatenate Files And Print To The Standard
 Output ... to the file and will continue until the control key and the D key are pressed (^D) to
 send an end-of-file and terminate the process. ...
www.certiguide.com/apfr/cg_apfr_catConcatenateFilesAndPrintToTheStandardOutput... -
 24k - Cached - Similar pages

PHP Bugs: #34409: concatenating a "\n" to a single character ...
 //the key for the main array is the factor. The value of that key is a traditional array ...
 \$values); //todo: update the factormaps if any factors were added } public ... please do so
 and change the status of the bug back to "Open". ...
bugs.php.net/34409 - 13k - Cached - Similar pages

SQL Concatenate, SQL Tutorial
 SQL Concatenate, SQL Tutorial, Global Guide Line offers free HTML CSS JavaScript XML
 XSLT SQL tutorials, interview questions and answers, references, ...
www.globalguideline.com/sql/SQL_Concatenate.php - 29k - Cached - Similar pages

Concatenating multiple rows of a result set | Yak Shaving
 This is needed when you need to concatenate multiple rows of a result set in MySQL. ...
 KEY (id)); INSERT INTO services VALUES (1,1),(1,2),(3,5),(3,6),(3,7); ... bytes) you just
 change the max_allowed_packet in my.cnf and set this: ...
www.asterisk.gr/blog/2009/02/15/concatenating-multiple-rows-of-a-result-set/ - 27k -
 Cached - Similar pages

How do I concatenate strings from a column into a single row?
 Jul 13, 2005 ... PRIMARY KEY (Fullname, Event)) GO CREATE FUNCTION
 dbo.GetMedalResult ... How do I change column order in a table structure? ...
[databases.aspfaq.com/general/how-do-i-concatenate-strings-from-a-column-into-a-single-](http://databases.aspfaq.com/general/how-do-i-concatenate-strings-from-a-column-into-a-single-row.html)
row.html - 23k - Cached - Similar pages

LET US ABAP: SAP ABAP Function Module String Concatenate
 A dynamic key access is slower than a static one, since the key specification This way
 the data will be held but you will not be able to change the ... column updates instead of
 single-row updates to update your database tables. ...
abapiovers.blogspot.com/2008/05/sap-abap-function-module-string.html - 221k -
 Cached - Similar pages

Virology : Genome concatenation contributes to the late gene ...
 A key component of the NHEJ apparatus is the DNA-PKcs enzyme. or Ad5 infected
 cells and did not change following treatment with wortmannin (Fig.
linkinghub.elsevier.com/retrieve/pii/S0042682205004733 - Similar pages
 by S Jayaram - 2005 - Cited by 2 - Related articles

Utility to update paths from internal to external forms. Copyright ...
 This file contains routines to update a path, both to canonicalize the directory key =
 concat ("@", key, NULL_PTR); path = concat (key, &path[strlen ...
www.opensource.apple.com/darwinsource/DevTools/Dec2001/gcc-934.3/gcc/prefix.c - 9k -
 Cached - Similar pages

C++ - concatenate two circular linked lists

Sep 1, 2008 ... C++ : concatenate two circular linked lists Write a program to concatenate two circular ... Total Answers and Comments: 1, Last Update: September 01, ... wanted to change how things work at some point or another. ... Understanding these concepts will provide you with a large number of key benefits. ...

www.geekinterview.com/question_details/64585 - 37k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

key (change OR update) concatenate

[Search within results](#) - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Video Gmail more ▾

Sign in



encryption key (change OR update) concatenate

Search

Advanced Search
Preferences

Web Books

Results 1 - 100 of about 38,400 for encryption key (change OR update) concatenate with Safesearch on. (0

Publius Publishing System - Wikipedia, the free encyclopedia

Dec 17, 2008 ... The update operation similarly uses the hashed concatenation of the ...
the share of the encryption key and is verified against the contents ...

en.wikipedia.org/wiki/Publius_Publishing_System - 36k - Cached - Similar pages

RC4 - Wikipedia, the free encyclopedia

Please update the article to reflect recent events or newly available information,

However, many applications that use RC4 simply concatenate key and nonce; IETF

Draft - A Stream Cipher Encryption Algorithm "Arcfour" ...

en.wikipedia.org/wiki/RC4 - 68k - Cached - Similar pages

More results from en.wikipedia.org »

Changing Your Encryption Key

It is usually advisable to change your Encryption Key periodically. ... When you change
your Encryption Key, write it down in a safe place. ...

remote-backup.com/showme/backup/client/changing_your_encryption_key.htm - 5k -

Cached - Similar pages

Feasibility of generating biometric encryption keys - Electronics ...

encryption key(s) are extracted directly from the biometric samples. ... to change his
template (e.g. due to ageing), the previous key may never be regenerated. It is also
possible to use multimodal biometrics and to concatenate ...

ieeexplore.ieee.org/iel5/2220/30709/01421166.pdf?arnumber=1421166 - Similar pages

by S Hoque - 2005 - Cited by 3 - Related articles - All 3 versions

Feasibility of generating biometric encryption keys - Electronics ...

contributes its share of the encryption key. As there are many subspaces, by
concatenating these key segments a complete key can be obtained. ...

ieeexplore.ieee.org/iel5/2220/30709/01421166.pdf - Similar pages

More results from ieeexplore.ieee.org »

YouTube - How to change your wireless encryption key if forgotten

PLEASE SUBSCRIBE TO MY CHANNEL If you have any requests for videos contact me
and ill see what i can do if you would like me to make tutorials on another ...

www.youtube.com/watch?v=-80kmQGPE9w - 66k - Cached - Similar pages

xmldap: How-To Decrypt a CardSpace backup file

Generate the encryption key by concatenating the static encryption entropy together
with the ... Once I made that change to my code, everything worked fine. ...

xmldap.blogspot.com/2006/12/how-to-decrypt-cardspace-backup-file.html - 83k -

Cached - Similar pages

How to change encryption key?

So, what I'd like to do is change the > key used to encrypt passwords, and then set up the
passwords > on these systems again. Trouble is.

www.realvnc.com/pipemail/vnc-list/2004-November/048180.html - 4k -

Cached - Similar pages

Re: Key Wrap Algorithm

Key agreement algorithms generate a pairwise key-encryption key, and a key > wrap

algorithm ... Concatenate the salt, content-encryption key, and key checksum value. ...
 Prev by Date: SignerInfo Change; Next by Date: Re: New X9.42 draft ...
www.imc.org/ietf-smime/archive1/msg02411.html - 9k - Cached - Similar pages

Re: A New Triple-DES Key Wrap Algorithm

And prudent cryptographic practice says you should change your KEK far more often ...
 Concatenate the key checksum value and the content-encryption key. ...
www.imc.org/ietf-smime/archive1/msg02597.html - Similar pages
 More results from www.imc.org »

[PDF] Analysis of Window Vista Bitlocker Drive Encryption

File Format: PDF/Adobe Acrobat - View as HTML

2.collect the quotients, and concatenate them to obtain a 128 bit key. To obtain
 encryption function, just change first + to - ...
www.nvrlabs.fr/publicads/projects/nvbit/nvbit_bitlocker_presentation.pdf - Similar pages

Visual Basic :: Byte Array Concatenate

I have an encryption key, 255 characters represented, However, every month the
 participants of the survey change, and the formula would have to be ...
www.bigresource.com/VB-Byte-array-concatenate-hoCc73b4vh.html - 56k -
 Cached - Similar pages

[SOLVED] Simple Encryption/Decryption Algorithm (Python) - Ubuntu ...

10 posts - Last post: Dec 1, 2008
 asking for the encryption key key = input("Please enter the encryption simple) and
 (this is the hard part) make it concatenate a space when it Adding arbitrarily large
 numbers does not change the size of your ...
ubuntuforums.org/showthread.php?t=999461 - 104k - Cached - Similar pages

How to encrypt a credit card number in a database

May 26, 2008 ... Let's leave aside the issues involved in keeping the key secret - we ... you
 encrypt a new number or if you change someone's card number Concatenate the IV
 with the ciphertext value to avoid an extra "IV" field. ...
www.di-mgt.com.au/cryptoCreditcard.html - 19k - Cached - Similar pages

InformIT: Security Reference Guide > How to Create an Asymmetric ...

Dec 12, 2008 ... Asymmetric keys take encryption and key management issues to the next
 level. ... Finally, jump into the .gnupg directory and change the file permission as follows: ...
 <?php //Collect and concatenate the form data if (\$_POST) ... In this update we took a look
 at asymmetric encryption and how it can ...
www.informit.com/guides/content.aspx?g=security&seqNum=338 - 35k -
 Cached - Similar pages

Robert Sosinski » Simple and Restful Account Recovery for Ruby on...

Mar 24, 2008 ... You will be using Ruby's OpenSSL library to encrypt and decrypt
 forgotten ... encrypt each block and concatenate them in order to make a ... Next, pile your
 plain text string into the your crypto's update ... require 'openssl' require 'digest/sha2'
 module Crypto KEY = 'change this to something long ...
www.robertsosinski.com/2008/03/24/simple-and-restful-account-recovery-for-ruby-on-rails/ -
 45k - Cached - Similar pages

Methods and apparatus for encrypting a binary string - US Patent ...

To update your information, log in and follow the link to My Account ... receiving the binary
 string; receiving an encryption key, the encryption key including a first ... An encryption
 device comprising: an input port; an output port; ... and concatenate the first encrypted
 value with the second encrypted value to ...
www.patentsform.us/patents/7190768/claims.html - Similar pages

CIFS Authentication Protocols Specification Paul J. Leach ...

Paul Leach Page 1 03/25/97 Preliminary CIFS AuthenticationMay change without notice

1.2 ... For example, to encrypt the 16 byte quantity D0D1 with the 14 byte key K0K1, ... 1.7
MAC key The MAC key is computed as follows: K = concat(S16, ...
www.jalix.org/ressources/reseaux/nfs-samba/~cifs/CIFS-Auth-Spec.txt - Similar pages

RFC 3657 (rfc3657) - Use of the Camellia Encryption Algorithm in ...
In the key wrap algorithm, the concatenation function will be used to Previous: RFC
3656 - The Mailbox Update (MUPDATE) Distributed Mailbox Database ...
www.faqs.org/rfcs/rfc3657.html - 30k - Cached - Similar pages

Data Encryption

Jan 26, 2008 ... If you do change either one, you must ensure that no restore is done that ...
Concatenate the master private and public key into a single ...
www.bacula.org/en/dev-manual/Data_Encryption.html - 12k - Cached - Similar pages

FP & SQL - Update or concat existing DB field data with data from ...
FP & SQL - Update or concat existing DB field data with data from another Encryption;
File Sharing; IDS; Internet Security; Misc Like I have mentoned before, the nice thing
with this testing is that I simply have to change the SQL ... create table
ReportReviewSpoke_Comments (id int identity primary key, ...
www.experts-exchange.com/Web_Development/Software/FrontPage/Q_23955360.html -
111k - Cached - Similar pages

Encrypt - Encrypt all sensitive data in your computer CHAOS ...
Message encryption add-in for Outlook 2000/2002 (XP)/2003 Premier Suite of ... You
don't need to change your mail client. There are no extra steps. ... perform calculations on
numeric fields, concatenate data, etc ... and then enter an encryption key to encode and
decode the files you want to protect from prying ...
www.filesland.com/companies/Successful-Creations-Software-Inc/encrypt.html - 32k -
Cached - Similar pages

draft-blumenthal-aes-usm-00 - Rijndael Encryption Protocol with ...
K_ secret key for the encryption engine IV_ Initialization Vector for the ... Varying
rapidly (considerable amount of bits change from one IV to another). Concatenate
agentBoots with agentTime and snmpEngineId of this entity ...
tools.ietf.org/html/draft-blumenthal-aes-usm-00 - 29k - Cached - Similar pages

Hakin9 - Hard Core IT Security Magazine

Mar 9, 2006 ... Since the encryption key is composed by concatenating the secret key
with the IV, certain IV values yield weak keys. ...
en.hakin9.org/products/articleinfo/65 - 42k - Cached - Similar pages

Re: Protecting the encryption key from the DBA

And lets further assume that you choose to concatenate the 12th digit ... (comp.
databases.oracle.server); Re: Protecting the encryption key from the DBA ...
newsgroups.derkeiler.com/Archive/Comp/comp.databases.oracle.server/2005-07/msg00276.html - 11k - Cached - Similar pages

Cryptography - TripleDES decryption

9 posts - Last post: Nov 26, 2008
The encrypted data is the concatenation of all the return arrays of bytes. ... Use the
specified TripleDES key to decrypt bytes ready from the input * stream and ... How do I
merge this data with the data returned by update()? ... I also couldn't find it using "java
TripleDES encryption" in google. ...
forums.sun.com/thread.jspa?threadID=5350131 - 57k - Cached - Similar pages

Macromedia - Understanding Encrypt, ToBase64, and Hash

The ColdFusion Encrypt function uses a symmetric key-based algorithm in ... name it
encryptmystring.cfm or change the ACTION page of the FORM tag to be Create a string
of all ASCII characters (32-255) and concatenate them together. ...
www.adobe.com/devnet/server/_archive/articles/understanding_encrypt.html - 50k -

[Cached](#) - [Similar pages](#)

[PPT] [Secure Sockets](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

... ID of an existing session (and the Handshake will update parameters) ... +KG is the public key, and hence E+KG is a encryption using the public key gained from the certificate. Messages1to8 is the concatenation of first 8 messages ... Client tells Server to change cipher (via the Change Cipher Protocol). ...

www.winlab.rutgers.edu/~trappe/Courses/AdvSec05/SecureSockets.ppt - [Similar pages](#)

[Openssl to create an unencrypted key from an encrypted one \(Remove ...](#)

Sep 3, 2006 ... Remove the encryption from the RSA private key ... openssl remove encryption from key; how to unencrypted ssl key; unencrypted ssl key; openssl change ... MySQL Concatenate: Adding String At The End Of Field Data ...

[mediakey.dki/~cc/openssl-to-create-an-unencrypted-key-from-an-encrypted-one-remove-password/](#) - 33k - [Cached](#) - [Similar pages](#)

[PPT] [Secure File Storage](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Mar 25, 2004 ... Encrypted with unique symmetric File Encryption Key (FEK) ... Concatenate resulting hashes together with mdf-files of immediate subdirectories ... Read: change FEK, remove user's key block, update other key blocks with ...

www.cs.virginia.edu/crab/SecureFileStorage.ppt - [Similar pages](#)

[PDF] [Intercepting Mobile Communications: The Insecurity of 802.11](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Concatenate M and its checksum to get plaintext P. -. Encrypt plaintext using RC4 ... have its own encryption key, change keys with high frequency ...

www.cs.ucsd.edu/classes/sp07/cse291-d/presentations/fchen2.pdf - [Similar pages](#)
by N Borisov - Cited by 705 - [Related articles](#) - All 136 versions

[Key Iterations & Cryptographic Salts](#)

Salts are generally equal to the block space of the encryption algorithms. ... procedure several times and concatenate the output to form the final key. ... Most implementations of hash algorithms have an update function so that you can ... words for the users pass phrase, and if found suggest that they change it. ...

www.adamherent.com/documents/KeyIterations&CryptoSalts.htm - 37k - [Cached](#) - [Similar pages](#)

[Encryption key entry method in a microcomputer-based encryption ...](#)

For example, a switch may need to change a key that a transaction acquirer uses to encrypt PINs for transmission to the network switch 110. ...

www.freepatentsonline.com/5016277.html - [Similar pages](#)
by SB Hamilton - 1991 - Cited by 9 - [Related articles](#) - All 3 versions

[PDF] [Review of Part I](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Even without knowing the encryption key, an adversary can change 802.11 packets hardware expects to concatenate a base key to an IV to form the ... This implies that TKIP requires a key-update mechanism operating at least every 2 ...

cache-www.intel.com/cd/00/00/01/77/17769_80211_part2.pdf - [Similar pages](#)

[PDF] [Key Iterations & Cryptographic Salts](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

derive the final encryption key. In each step we take the previous hash ... hashing procedure several times and concatenate the output to form the final key. ... Most implementations of hash algorithms have an update function so that you can ... change it. Since at this point we have the original pass phrase and we ...

www.infosecwriters.com/text_resources/pdf/KeyIterations&CryptoSalts.pdf - [Similar pages](#)

ZCC: Trust Based, Firewall Supplied, Transparent Encryption of TCP ...
 Eventually I'll update this page with even more details. ... As one of our goals was not to change any of the TCP headers, ... Instead we rely on concatenating the sender's IP address onto the ... ZCC will use a combination of PKI and symmetric key encryption in order to secure the communication between two nodes. ...
cckdake.com/portfolio/software/zcc.html - 30k - Cached - Similar pages

Release Notes for Cisco Aironet 1410 Bridges for Cisco IOS Release ...
 Default SSID and Distance Settings Change When You Change Role in Radio Network ... The encryption key in slot 2 is the transmit key by default. ... However, WPA is supported on bridges only when you disable packet concatenation. ...
www.cisco.com/en/US/docs/wireless/bridges/1400/release/notes/p15ja.html - 57k - Cached - Similar pages

[PDF] Lecture 21 - Forward Security, Identity-Based Encryption
 File Format: PDF/Adobe Acrobat - View as HTML
 Dec 6, 2005 ... To encrypt at time t simply run E pub master. ,id t. (m). • The key d t will be the concatenation of k t until k. T . That is, the update ...
www.cs.princeton.edu/courses/archive/fall05/cos433/lec21.pdf - Similar pages

Kerberos: The Definitive Guide - Google Books Result
 by Jason Garman - 2003 - Computers - 253 pages
 In addition, the other protocol-level change that was made during the ... A diagram showing where each encryption key comes into play in a typical TGS reply ...
books.google.com/books?isbn=0596004036...

XML Encryption Syntax and Processing
 Aug 2, 2002 ... Present implementations must update their implementation of [XML-DSIG-Decrypt]; ... These key words are not used (capitalized) to describe XML grammar; and concatenating the resulting octet streams. Author/Change controller:. The XML Encryption specification is a work product of the ...
www.w3.org/TR/2002/CR-xmlenc-core-20020802/ - 151k - Cached - Similar pages
 by J Reagle - Cited by 2 - Related articles - All 16 versions

(WO/1998/047259) FILE ENCRYPTION METHOD AND SYSTEM
 An example of a symmetric encryption key is provided in the Data multiple passes of the key generator operation and concatenate each pass to the ... create an encryption key, any change will result in a different key and the file ...
www.wipo.int/pctdb/en/wo/jsp?1A=US1996004621&DISPLAY=DESC - 43k - Cached - Similar pages

Safe symmetric encryption - Crypt::CBC + Crypt::Blowfish?
 Update: With AES and other finalists, having 128-bit blocks means the size ... concatenating the two plaintexts together and encoding as one CBC sweep. This also lets me change the key at will since all I have to do is store the ...
www.perlmunks.org/?node_id=233642 - 43k - Cached - Similar pages

UNIX_B
 May 1, 2008 ... calendar - calendar reminder service cat - concatenate and print data ... time - time a command touch - update access and modification times of a ... and add or extract files chkey - create or change encryption key ...
www.hku.hk/cc/handbook/unix/unix_b.html - 19k - Cached - Similar pages

[doc] Key management pro ESO
 File Format: Microsoft Word - View as HTML
 The second approach is to encrypt every key separately with ring key and concatenate it to relevant file. Because the key should be used only to encrypt or ...
www.gnuash.org/mirrors/www.kolej.mfi.uni.cz/2001.07.14/~eternity/Doc/TondaBeres/KeyManagement/...esKeyManagement.doc - Similar pages

Free concat Download - concat Software

Free download concat Software at WareSeeker.com - PStill can convert PostScript (PS, ... of file types to pdf format), encrypt (a tool that can encrypt your pdf files), ... ownerpassword: (optional) password to be entered when you want to change the Here are some key features of "SwissSQL SQLOne Console": ...
wareseeker.com/free-concat/ - 56k - Cached - Similar pages

HITACHI GLOBAL : News Release : HIME (R) developed by Hitachi ...

In 1988, Hitachi developed the symmetric-key encryption scheme MULTI2 as a security of a public-key encryption scheme by concatenating different data to ... the press announcement, but may be subject to change without prior notice. ...
www.hitachi.com/News/news/060316.html - 35k - Cached - Similar pages

GNU Anubis Manual: 5. The Rule System

Optional concatenation separator. See section Concatenations, for its meaning. gpg-encrypt-john ' to process an outgoing message with the rule Value ' default ' means your default private key, but you can change it if you ...
www.gnu.org/software/anubis/manual/html_chapter/Rule-System.html - 80k - Cached - Similar pages

Information Security Management Handbook - Google Books Result

by Harold F. Tipton, Micki Krauss - 2006 - Computer security - 2036 pages
Wired Equivalent Privacy Encryption All the previous mechanisms addressed ... The receiver can concatenate the received IV with the WEP key it has stored ...
books.google.com/books?isbn=0849319978...

What Is CIA

May 4, 2005 ... This can be used to change account numbers or amounts in a banking transaction, for example! ... She then concatenates her key with the resulting hash and hashes ... Encryption key for messages sent from Alice to Bob ...
alt.pjluraisight.com/wiki/default.aspx/Keith%20GuideBook/WhatIsCIA.html - 22k - Cached - Similar pages

[PS] CRYPTANALYSIS OF VIDEO ENCRYPTION ALGORITHMS Tanya E. Seidel ...

File Format: Adobe PostScript - View as HTML
In our analysis of VEA and MVEA, we will show that this key-change has no ... bits of such concatenation. The VEA's and. MVEA's encryption function ...
www.mat.savba.sk/tatra/Full/29/10SEIDEL.ps - Similar pages
by TE Seidel - 2004 - Cited by 10 - Related articles - All 4 versions

Applied Mathematics and Computation : Cryptanalysis of Tseng et al...

After that, he encrypts the encryption key with the recipient's public key and ... denotes the concatenation operator. 5. Us sends $n+2$ signature blocks $(r,s,r_2,...,r_n)$ to U_v then he asks the trusted center to change P_v for $Image$...
linkinghub.elsevier.com/retrieve/pii/S00963003030009622 - Similar pages
by Q Xie - 2004 - Cited by 6 - Related articles - All 2 versions

Digital Signature Implementation in Java - OWASP

Jan 14, 2008 ... Encrypt the message using a symmetric key. Concatenate the symmetric ... Digest of the Data to be transmitted $md.update(byteDataToTransmit)$; ...
www.owasp.org/index.php/Digital_Signature_Implementation_in_Java - 38k - Cached - Similar pages

Public key encryption apparatus invention

In the public key encryption method, an encryption key is opened to the public and a ... using the proper basis set, the measured quantum state will change. ...
www.freshpatents.com/Public-key-encryption-apparatus-
dt20060427ptan20060088157.php - 43k - Cached - Similar pages

Software Development: PHP Encryption (eac_mcrypt.class.php ...

Oct 30, 2008 ... It utilizes the PHP mcrypt module to perform the encryption but requires little or no ... Concatenate hashes into a single 32-byte key. ...
www.kevinburkholder.com/sw_encryption.php - Similar pages

WEP (idea)@Everything2.com

The WEP committee decided to concatenate a 40-bit key with a 24-bit IV, ... it with what I want to say (maybe even change the IPs on the packet), and transmit that. ... To combat this, all encryption protocols also use authentication. ...
everything2.com/index.pl?node_id=1503066 - 41k - Cached - Similar pages

[PDF] 802.11 D L P

File Format: PDF/Adobe Acrobat - View as HTML
 mised, the only recourse is to change the shared secret in all of the remaining devices.
 encryption. 24-bit wrapping IV. Concatenate IV to base key ...
www.cs.berkeley.edu/~daw/papers/wireless-cacm.pdf - Similar pages
 by N Cam-Winget - 2003 - Cited by 102 - Related articles - All 4 versions

Firewall

Needless to say, it should be extremely hard for an intruder to change these ... With the message X and the encryption key AT as input, the encryption algorithm forms ... We firstly concatenate each data of all audit data field and we ...
portal.acm.org/citation.cfm?doid=991130.991136 - Similar pages
 by JS Lee - 2004 - Cited by 1 - Related articles - All 2 versions

PBEWithMD2AndTripleDESCipher (IBMJCEProvider Class Documentation)

Initializes this cipher with a key and a source of randomness. The cipher is initialized for one of the following four operations: encryption, decryption, ...
www.ibm.com/developerworks/java/jdk/security/142/secguides/jceDocs/apj/com/ibm/PBEWithMD2AndTripleDESCipher.html - 54k - Cached - Similar pages

RSA Laboratories - RSA Security Response to Weaknesses in Key ...

Hash Function Update Due to Potential Weakness Found in SHA-1 ... A method frequently suggested to obtain the keys is to add or concatenate a counter to the base key. ...
 Applications which pre-process the encryption key and IV by using ...
www.rsa.com/rsalabs/node.asp?id=2003 - 17k - Cached - Similar pages

[PDF] Slide 1

File Format: PDF/Adobe Acrobat
 Separate Key Functions. Don't Mix Key Encryption and Data Encryption Keys ... Use an Approved Key Update Procedure. Use an Approved Key Derivation Function from a Master Key. Don't Concatenate Split Keys to Generate Keys ... Change Keys. When a Compromise is Detected. When the Key's Cryptoperiod Nears Expiration ...
www.snia.org/education/tutorials/2008/spring/security/Hubis-W_Introduction_to_Key_Management.pdf - Similar pages

Re: Key Wrap Algorithm: msg#00036 ietf.smime

Concatenate the salt, content-encryption key, and key checksum value. ... Previous by Date: SignerInfo Change, Russ Housley ...
osdir.com/ml/ietf.smime/1998-12/msg00036.html - 22k - Cached - Similar pages

LNCS 2720 - IP Concatenation: The Method for Enhancement of IPsec ...

PF KEY[11], and exchange the information of SA(Security Association)[12] sent to the encryption module. Before concatenating packets, we expanded the ... sk_buff and change the value of tail which is the variable defined in sk_buff ...
www.springerlink.com/index/YAQCQVFUF8BBU499L.pdf - Similar pages
 by J Moon - Cited by 1 - Related articles - All 7 versions

802.11 WEP: Concepts and Vulnerability

WEP (wired equivalent privacy) is 802.11's optional encryption standard ... As part of the encryption process, WEP prepares a key schedule ("seed") by concatenating the ... key because the station can change the IV for each frame transmission. ... WEP specifies a shared secret 40 or 64-bit key to encrypt and decrypt ...

www.wi-fi-planet.com/tutorials/articles.php/1366661 - 93k - Cached - Similar pages

R9: Digital Signature process & File and String Symmetric ...

First I worked on the File encryption and decryption implementation. ... Encrypt the message using a symmetric key. Concatenate the symmetric key + Hash of ... Project Progress Update Report - 01/01/2009 · Presenting Project eID at ICTA ...

blog.project-eid.org/reports/digital-signature-process-file-and-string-symmetric-encryption/decryption/ - 23k - Cached - Similar pages

[PDF] Microsoft PowerPoint - VT_NexGen_1.ppt

File Format: PDF/Adobe Acrobat - View as HTML

EAPOL Key Encryption Key. EAP Method Path. EAPOL Key Confirmation Key. Temporal Key. 256-bits Update replay counter. If replay counter has been used before, ... Per-packet key. Concatenate IV to root key. Created thru TKIP ...

www.irean.vt.edu/seminars/Cwens_091404_NexGen.pdf - Similar pages

[PDF] United States Patent

File Format: PDF/Adobe Acrobat - View as HTML

encryption key and an encrypted information file are highly resistant to cryptographic analysis or brute output change. There is no known relationship between the tiple passes of the key generator operation and concatenate ...

www.patcid.com/US06049612____.pdf - Similar pages

[PDF] Agenda and Series Roadmap

File Format: PDF/Adobe Acrobat - View as HTML

WEP constructs a per-packet RC4 key by concatenating encryption key. In the paper [3] presented in August 2001, Scott Fluhrer, Itsik Martin, ... necessitate a key change after every packet! Other vendors selected the IV at random. ...

krl.eti.pg.gda.pl/krlab/wep/17780_wired.pdf - Similar pages

Cryptanalysis of Microsoft's PPTP Authentication Extensions (MS ...

The change password packets from MS-CHAPv1 have been replaced by a single The Client concatenates the Peer Authenticator Challenge with the 16-byte This key is used to encrypt traffic from the Client to the Server and traffic ...

www.schneier.com/paper-pptpv2.html - 28k - Cached - Similar pages

Perils of the Ether

With having to manually configure each NIC with the encryption key problems arise. If the network admin wants to change the encryption key, then the admin ...

www.thenetworkadministrator.com/PerilsoftheEther.htm - 9k - Cached - Similar pages

IEEE 802.11i - FreeRADIUS Wiki

Jun 12, 2007 ... The PTK is generated by concatenating the following attributes: PMK, ...

EAPOL-Key Encryption Key (KEK) - The key used to encrypt the EAPOL-Key packets. ...

Support of WPA2 needs an operating system update (KB893357, ...

wiki.freeradius.org/WPA2 - 25k - Cached - Similar pages

7.4 Message Digest Functions

To use an encryption function as a message digest function, simply run the ... bunch of data sources that seem to change over time=such as log files, time-of-date clocks, ...

Instead of simply concatenating the key behind the data, ...

docsstore.mik.ua/oreilly/other/puifs3rd/0596003234_puifs3-clip-7-sect-4.html - 19k -

Cached - Similar pages

[PDF] Using System Generator To Design A Reconfigurable Video Encryption ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

obsolescence protection and update'. We also aim to demonstrate by using a ... When designing in System Generator it is possible to access key features in the concatenating all the 8-bits back using the 'concat' block to form 128-bits. A block It has been completed with a minimum change to the system. ... www.nallatech.com/mediaLibrary/images/english/645.pdf - [Similar pages](#) by D Denning - [Cited by 3](#) - [Related articles](#) - [All 5 versions](#)

[PDF] [Analysis of the WinZip encryption method](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

that Mallory has the ability to change the contents of F.zip, AES encryption key, an HMAC-SHA1 key, and a password verification value are derived from the length as the salt in AE-2, concatenate information about the encryption scheme (BE ... decides to update a file or add a new file to an archive. ... eprint.iacr.org/2004/078.pdf - [Similar pages](#) by T Kohno - [Cited by 5](#) - [Related articles](#) - [All 12 versions](#)

[Surrogate Key Generation in DataStage - An elegant way](#)

[This site may harm your computer.](#)

Feb 14, 2008 ... In the transformer as noted above, concatenate "Environment Variable : Running job number variable" to get the surrogate key. ... it.toolbox.com/blogs/dw-soa/surrogate-key-generation-in-datastage-an-elegant-way-22482 - [Similar pages](#)

[Network Security: The Complete Reference - Google Books Result](#)

by Roberta Bragg, Mark Rhodes-Ousley, Keith ... - 2004 - Computers - 854 pages
This key is used to encrypt the data, and the same key, or a copy of it, ... and with this came an increasing need to frequently change keys to prevent ... books.google.com/books?isbn=0072226378...

[Vim documentation: editing](#)

Last change: 2003 Dec 19 VIM REFERENCE MANUAL by Bram Moolenaar Editing files * edit-files* 1. concatenate several commands. {cmd} must not change the argument list ... Example: :args *.c :argdo set ff=unix | update This sets the *:X* :X Prompt for an encryption key. The typing is done without showing ... www.vim.org/handdoc/editing.html - 93k - [Cached](#) - [Similar pages](#)

[PDF] [Secure Transport of backbone messages](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The material in this document is subject to change in form and The Key sub-field contains the actual encryption key. ... Construct a plaintext version of the String field by concatenating the Key-Length and Key sub-fields. ... www.ieee802.org/16/tg4/contrib/C80216e-04_52r2.pdf - [Similar pages](#)

[CodeProject: File Encryption and Encrypted text embedding in an ...](#)

Sep 20, 2003 ... To create pseudo random byte for encryption key The only constraint is that I cannot concatenate all the strings together and they HAVE to be Last Visit: 3:21 18 Feb '09 Last Update: 3:21 18 Feb '09, 1 Next » ... www.codeproject.com/KB/security/image_embedding1.aspx - 113k - [Cached](#) - [Similar pages](#)

[PPT] [Foundations of Cryptography Lecture 11: Security of Encryption Schemes](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Computational Pseudorandomness; Shared-key Encryption and Authentication a full blown semantically secure cryptosystem by concatenation (for any length messages) ... Adversary might change $c=E(m \circ r, KP)$ into $c'=E(m' \circ r, KP)$... www.wisdom.weizmann.ac.il/~naor/COURSE/c0607_lect11.ppt - [Similar pages](#)

[PDF] [Fast Authentication for Secure Internet Service](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Encryption between AP and STA with periodic key update Concatenate IVh and IVl. It

is IV. 4. ICV is upper 6 octet of IVh. 5. Encrypt the payload ...

www.apan.net/meetings/xian2007/presentations/middleware/fujikawa.pdf - Similar pages

Create a Simple, Reusable Infrastructure for Public Key Encryption ...

If the input is larger than the public key, the encryption fails with an error ... arrays) and concatenate them together to produce the final cipher text. ...

www.dvwx.com/security/Article/17249/0/page/3 - 114k - Cached - Similar pages

[PDF] Randomized encryption techniques

File Format: PDF/Adobe Acrobat - View as HTML

encryption key. At the cost of increasing the required bandwidth, such procedures ...

Perhaps the simplest randomized encryption technique is to concatenate a ... change certain bits of the plaintext by modifying the To update the state, the state register is left-shifted one position, and a new truly random ...

dsns.csie.nctu.edu.tw/research/crypto/HTML/PDF/C32/145.PDF - Similar pages
by RL Rives - Cited by 14 - Related articles

[Paper] CRIPTOR – A Hardware Implementation of the RC6 Cipher

KEY WORDS cryptochip, encryption, FSM, RC6, security, VHDL 1. Variable rotation was made using a case syntax and concatenation operator: when 7 ... This module is called only when we change the encryption or decryption key. ...

www.actapress.com/PDFViewer.aspx?paperId=26099 - Similar pages

Wireless Networking: Know it All - Google Books Result

by Praphul Chandra, Alan Bensky, Ron Olexa ... - 2007 - Technology & Engineering - 558 pages

In phase one, the session data encryption key is "combined" with the high order 32 bits ... it needs to be done only when one of these bits change; that is, ...

books.google.com/books?isbn=0750685824 . .

ar - create library archives, and add or extract files arch ...

... service cat - concatenate and display cb - a simple C program beautifier cc ... create or change encryption key chmod - change the permissions mode of a remote system touch - update the access and modification times of a file ...

oldwww.cs.uma.se/idb/kurser/TDBB15/sysprog_ing96/unix_commands.text - 13k - Cached - Similar pages

Tightening the Line on Wi-Fi Security: A Look at WPA2 - Wireless ...

Additionally, WEP prepares a key schedule ("seed") by concatenating an ... of the secret key because the station can change the IV for each frame transmission. ... *Encryption Key — used to encrypt the Key Data field of the key packets. ...

www.wirelessdesignmag.com/ShowPR~PUBCODE~055~ACCT~0027977~ISSU... - 36k - Cached - Similar pages

[PPT] Cryptography

File Format: Microsoft Powerpoint - View as HTML

suppose attacker knows c and m (eg, plaintext attack);; wants to change m to m' Public key encryption algorithms. need K () and K () such that MD5 is run over a concatenation of the OSPF packet and shared secret key ...

cis.poly.edu/~ross/networksecurity/Cryptography.ppt - Similar pages

\$Id: RSACipher_OAEP.java,v 1.4 2004-12-13 19:34:28 eblack Exp ...

Apply the RSAEP encryption primitive to the RSA public // key (n, ... _md.update(c); return _md.digest(); } private byte[] concat(byte[] a, ...

https://svn.concord.org/svn/projects/tags/SVN-Migration-2007-11-2/common/java/pedagogical/security/./RSACipher_OAEP.java - Similar pages

DACI

In addition, the key does not change between sessions; the same key is used ... key or the stream, an attacker can flip bits, truncate and concatenate TKIP uses the same

encryption key but different MIC key for each link direction. ...

www.ikt.cs.tu.tl/research/dac/ra_security_802.11f.html - 31k - Cached - Similar pages

HP-UX Reference (Volume 1 of 9): Section 1: User Commands (A-M)

cal(1) - print calendar; calendar(1) - reminder service; cat(1) - concatenate, copy, and print files ... reblock, translate, and copy a (tape) file; delta(1) - make a delta (change) to an SCCS file ... make(1) - maintain, update, and regenerate groups of programs; makekey(1) - generate encryption key ...

docs.hp.com/en/B2355-90689/index.html - 35k - Cached - Similar pages

Encryption Algorithms - SarWiki

Feb 8, 2005 ... The basic thing about symmetric encryption is that the same key is used for both ... therefore we need to change our 64bit key into a 56bit key. ... The final step of creating the sub keys is now to concatenate all 16 Cn ...

sarwiki.informatik.hu-berlin.de/Encryption_Algorithms - 30k - Cached - Similar pages

Homebrew encryption

... than hashing the concatenation of the key and plaintext (except it standardizes aspects). Standardizing my homebrew encryption isn't that important ;) ... to build a twisted PB program to use it, and as soon as they do we'll know and change it. ... That was public-key encryption, which is typically much slower, ...

blog.fanbicking.org/homebrew-encryption.html - 12k - Cached - Similar pages

Features

Use the receiver's public key to encrypt the AES key, hash, and signature. Concatenate the encrypted key/hash/signature with the encrypted message. ... For performance reasons this situation is unlikely to change. ...

nact.cryp.to/features.html - 11k - Cached - Similar pages

[PDF] CRYPTOR1.0: VLSI Implementation of the RC6 Block Cipher

File Format: PDF/Adobe Acrobat - View as HTML

May 11, 2000 ... symmetric-key encryption algorithm to be used to protect sensitive

Federal Information. module is called only when we change the encryption or decryption key. ... Implemented also using the concatenation operator. ...

csrc.nist.gov/archive/aes/round2/comments/20000511-emang-1.pdf - Similar pages

[PDF] Web Security

File Format: PDF/Adobe Acrobat - View as HTML

Server write key. Encryption key for data encrypted by the server and ... Required for all authenticated key change, except anonymous D-H ... The content of the finished message is the concatenation of two hash values ... Change Cipher Spec Protocol. Use SSL record protocol. Update the cipher suite to be used on ...

vanets.vuse.vanderbilt.edu/~xue/cs291fall06/web.pdf - Similar pages

Download Password Change Software: SharePoint Password Change ...

Encrypt and decrypt files of any type. Virtual Password does not change a size ... If the user enters wrong key, the encrypted file will be decoded but it's such as appending and inserting pages, concatenating two pdf documents, ...

www.blueschillies.com/ist/password-change.html - 60k - Cached - Similar pages

A Rapid and Efficient Pre-deployment Key Scheme for Secure Data ...

the system needs to update pair-wise keys for all nodes. Encryption. Decryption. Concatenate. Compute. MAC. Key. Comparison. MAC. Comparison ...

www.sersc.org/journals/IJSA/vol2_no3_2008/6.pdf - Similar pages

HIPRG H. Tschofenig Internet-Draft Siemens Expires: January 12 ...

Therefore, changes to IP addresses do not change the connections or associations. 3.2 Rekeying Rekeying can be supported using the UPDATE packet of HIP. It generates three keys namely encryption key to provide confidentiality for ... Next concatenate an 8-bit label for selecting the usage with r key_id ...

www.join.uni-muenster.de/drafts/draft-tschofenig-hiprg-hip-srtp-00.txt - 34k -
[Cached](#) - [Similar pages](#)

[PPT] [Intercepting Mobile Communications: The Insecurity of 802.11](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

This presentation will discuss the inadequacies of WEP encryption ... with the key; RC4 encryption algorithm is used on the 64 or 128 bit concatenation ... Use WPA or WPA2 with a strong key; Change the default settings on your wireless ...

www.cse.sc.edu/~wyxu/2008-csce790/student%20slides/intercepting%20Mobile%20Communications.ppt - [Similar pages](#)

Nootech Notes

NSString *_key = @"this is my secret key ... change me! I did finally get both symmetric and asymmetric (public key) encryption and decryption working. ... so it wasn't trying to concatenate the strings as I expected. ...

nootech.wordpress.com/v - 46k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

encryption key (change OR update) concatenate

[Search](#)

[Search within results](#) - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Video Gmail more ▾

Sign in



encryption key (change OR update) parts

Search

Advanced Search
Preferences

Web

Results 1 - 100 of about 226,000 for [encryption key \(change OR update\) parts](#) with Safesearch on. (0.31 se

[Configuring encryption to protect message confidentiality using ...](#)

Dec 4, 2008 ... To configure encryption, specify which message parts to encrypt and ...

Change the key encryption algorithm from the default value of ...

publib.boulder.ibm.com/infocenter/wasinfo/v7r0/topic/com.ibm.websphere
express./twbs_configencryptinforjenjxws.html - 17k - Cached - Similar pages

[Encryption information configuration settings: Message parts](#)

Under Modules, click Module update > module_name. [Version 6 only] ... You can specify
an encryption key configuration for the following bindings on the following levels: Use
the CHGAUT command to change authorization, if needed. ...

publib.boulder.ibm.com/infocenter/wasinfo/v6r1/topic/com.ibm.websphere.
express.series.doc/infoc.../twbs_encryptrtrb.html - 28k - Cached - Similar pages
More results from publib.boulder.ibm.com »

[Changing Your Encryption Key](#)

It is usually advisable to change your Encryption Key periodically. ... When you change
your Encryption Key, write it down in a safe place. ...

remote-backup.com/showme/rbackup/client/changing_your_encryption_key.htm - 9k -
Cached - Similar pages

[YouTube - How to change your wireless encryption key if forgotten](#)

PLEASE SUBSCRIBE TO MY CHANNELIf you have any requests for videos contact me
and ill see what i can doif you would like me to make tutorials on another ...

www.youtube.com/watch?v=-90kmQGPE9w - 65k - Cached - Similar pages

[HP, IBM push new KMIP encryption key standard | InfoWorld | News ...](#)

Feb 12, 2009 ... Key Management Interoperability Protocol is seen as one way to replace
the hodgepodge of different encryption-key management products out there. ... systems to
control who gets access to different parts of the network. ... World Tech Update, February
20, 2009; This week's roundup of roundup of the ...

www.infoworld.com/article/09/02/12/HP_IBM_push_new_KMIP_encryption
_key_standard_1.html - 59k - Cached - Similar pages

[How to change encryption key?](#)

So, what I'd like to do is change the > key used to encrypt passwords, and then set up the
passwords > on these systems again. Trouble is. ...

www.realvnc.com/pipermail/vnc-lis/2004-November/048180.html - 4k -
Cached - Similar pages

[\[PDF\] Key Update and the Complete Story on the Need for Two Key Pairs](#)

File Format: PDF/Adobe Acrobat - View as HTML

key update provides a transparent way to change algorithms and/or key ... Unlike update
of encryption key pairs, which is driven by the expiration of the ... The two parts of a
signing key pair are known as the verification ...

www.entrust.com/resources/pdf/2keypairs11.pdf - Similar pages

[\[PDF\] Enterprise Encryption and Key Management](#)

File Format: PDF/Adobe Acrobat - View as HTML

Key Retirement - Key Replacement (Rollover, Update and Renewal) Key Components
are a set of two or more unique parts of an encryption key, before committing the

change as part of their operating procedure (either partially or ...

www.bits.org/downloads/Publications%20Page/

[BITSEnterpriseKeyManagementMay2008.pdf](#) - Similar pages

[PDF] [Securing Data at Rest: Database Encryption Solution Using Empress ...](#)

File Format: PDF/Adobe Acrobat - View as HTML

Cipher Key Verification. Key Rotation/ Key Change. Unit of Encryption parts of the files related to the table customer in the Empress database. ...

www2.empress.com/marketing/encryption/EmpressSecurityWhitePaper.v11.pdf -

Similar pages

[Update seca2 rsa key update' - Sat-Television.com - Satellite ...](#)

Update seca2 rsa key update' MOSC. infamous around these parts -magnum- is infamous around these parts -magnum- is infamous around these parts -magnum- ...

www.sat-television.com/showthread.php?i=58031 - 26k - Cached - Similar pages

[HP, IBM push new OASIS encryption key standard | ITworld](#)

HP, IBM push new OASIS encryption key standard. by Robert McMillan ... different key management systems to control who gets access to different parts of the network. ... In this whitepaper, Scalar explores the opportunity to change the ...

www.itworld.com/security/52516/hp-ibm-push-new-oasis-encryption-key-standard - 51k - Cached - Similar pages

[Techworld.com - Big guns to back new encryption key standard](#)

Feb 12, 2009 ... Click below to add 'Big guns to back new encryption key standard' to your blog. ... Microsoft update spells death for Srizbi botnet ...

www.techworld.com/security/news/index.cfm?newsid=110780 - 70k -

Cached - Similar pages

[C1 AntyBot-HowTo 1&2: Network.dll reoptimisation and encryption ...](#)

25 posts

C1 AntiBot-HowTo: Change Auth Server Encryption key (Network.dll) I have got many ...

You can change the number 94 or may be other parts, i don't sure, ...

forum.4geez.com/t343/c1-antybot-howto-1-and-2-network-dll-reoptimisation-and-encryption-key-change-78801/ - 116k - Cached - Similar pages

[PDF] [General System overview Key Administration Terminal \(KAT\) Key ...](#)

File Format: PDF/Adobe Acrobat - View as HTML

contains all encryption keys, configuration information, ... The key change central is a combination of key administration central and ... to the secret part of the database and the public parts which the supervisor parts also needs. ...

www.outscore.eu/download/KAT.PDF - Similar pages

[Secure Encryption key lifecycle management - Global Security Mag ...](#)

Key-encryption keys are used to encrypt the key while it is in memory and then the encrypted key is split into several parts and spread throughout the ...

www.globalsecuritymag.com/Secure-Encryption-key-lifecycle,20081029,5799 - 25k -

Cached - Similar pages

[CLI at OpenSolaris.org](#)

May 7, 2008 ... There layout of the property consists of two parts, the format and ...

encryption – the type of crypto algorithm used to encrypted the dataset data. ... This is will not perform a key change. To change the wrapping key, ...

opensolaris.org/os/project/zfs-crypto/phase1/cli_change_v2/ - 28k - Cached - Similar pages

[The Key to Encryption](#)

These parts, called packets, may take different paths through the ... "One can calculate how long it would take to crack an encryption key of a certain length. ... Wikileaks Forced to Leak Its Own Secret Info -- Update ... Subscription: Subscribe | Give a Gift | Renew | International | Questions | Change Address ...

www.wired.com/techbiz/media/news/2001/06/44740 - 52k - Cached - Similar pages

Stiki - Questions and answers about information security

In all software, it is important that developments and change in data can be ... Encryption uses a secret sequence of characters called an encryption key. ... an organisation's total operations or defined parts of its activities. ... www.stiki.is/index.php?Itemid=87&id=116&option=com_content&task=view&lang=en - 27k - Cached - Similar pages

Regenerate Encryption Key - BlackBerryForums.com : Your Number One ...

Carrier: Cingular. Cool Regenerate Encryption Key - 08-08-2006, 07:07 PM ... Users in different parts of the Country, no signal problems, ... Security tab, change the Encryption key configuration from Generate keys ... Update. We updated our BES with the service pack and that seemed to clear up the problems. ... www.blackberryforums.com/general-blackberry-discussion/43295-regenerate-encryption-key.html - 65k - Cached - Similar pages

Software Search Result for Encryption :

AirSnort is a wireless LAN (WLAN) tool which recovers encryption keys. AirSnort operates by passively monitoring transmissions, computing the encryption key ... www.icewalkers.com/search.php?m=exact&w=k&q=encryption - 36k - Cached - Similar pages

HDD Encryption Workaround Found, FileVault Vulnerable || The Mac ...

Feb 22, 2008 ... The encryption key for the HDD is held in RAM while the computer is running. ... Sleep mode keeps RAM powered, so does not change this fact. ... to randomize all of RAM except the parts it uses itself, to overcome this issue, ... Wed, 9:54 AM: Product News - Apple Releases MacBook SMC Update 1.3 ... www.macobserver.com/article/2008/02/22.8.shtml - 50k - Cached - Similar pages

HP, IBM push new OASIS encryption key standard - Digital Lifestyle ...

Feb 12, 2009 ... HP and IBM are promoting a new encryption key management standard ... Today, IT staff must use different key management systems to control who gets access to different parts of the network. ... Apple releases first security update of 2009 ... IT security strategy | Managing change | Mobile computing ... www.macworld.co.uk/BUSINESS/NEWS/index.cfm?newsid=24944&pagetype=samechdate - 47k - Cached - Similar pages

The Hasty Pudding Cipher: Specific NIST Requirements Rich ...

(Since the spice is cheap to change, it is reasonable to use a different value for every ... For example, a network firewall connecting two distant parts of an ... Timing Measurements Encryption speed is independent of key size. ... www.cs.arizona.edu/~rcs/hpc/hpc-nist-doc - 15k - Cached - Similar pages

Welcome to the Dart White Paper repository. We have created this ...

With some encryption standards, the eavesdropper can even deliberately change the information along the way without knowing the key and without the ... www.dart.com/article_seccomm.aspx - 76k - Cached - Similar pages

W3C XML Encryption Issues

ACTION Reagle: change to a child element, cc: Merlin/Takeshi to see if they oppose. ... include exclusive canonicalization as an algorithm » Algorithms Section update ... Nonce and Key Wrap Algorithm: "It seems to me that with the key wrap Christian Geuer-Pollmann, Can we encrypt a parts of a text node? ... www.w3.org/Encryption/2001/11/last-call-issues.html - Similar pages

Four Hundred Stuff--Pat Townsend Unveils Encryption Key Appliance

Dec 2, 2008 ... "One of the most challenging parts for customers deploying key management is the IBM Unveils Change Management Software for System i ... www.itjungle.com/ths/ths120208-story02.html - 45k - Cached - Similar pages

Encryption using fractal key - Patent 6782101

Aug 24, 2004 ... The fractal key matrix dimensions may also change with each ... steps and arrangement of parts, herein described and illustrated to explain ...
www.freepatentsonline.com/6782101.html - Similar pages
 by GB Huntress - 2004 - Cited by 2 - Related articles - All 3 versions

Encryption using fractal key - US Patent 6782101 Description

That you can change your PatentStorm profile information and email preferences? To update your information, log in and follow the link to My Account ... The position information may be encrypted, using an encryption key based on position ... wherein like reference numerals refer to like parts and wherein: ...
www.patentstorm.us/patents/6782101/description.html - Similar pages

Windows Mobile Development » Blog Archive » Symmetric Key ...

Jul 23, 2007 ... You should only change this if the message recipient does not ... the encryption and decryption processes would be in different parts of the ... During this initial phase the symmetric encryption key (which is unique to ...
www.christec.co.nz/blog/archives/81 - 39k - Cached - Similar pages

Techworld - HP, IBM push new OASIS encryption key standard

HP and IBM are promoting a new encryption key management standard called KMIP. ... key management systems to control who gets access to different parts of the network. ... Telstra kicked out of NBN process - Linux on the iPhone won't change the world - yet ... FightBack '09 Update: New hires and strong financials ...
www.techworld.com.au/article/276519/hp_ibm_push_new_oasis_encryption_key_standard
 - Similar pages

Encryption and Security Tutorial

The technical material consists of 11 parts: ... Part 2, Key Management and Certificates, 154 slides: Key management, key lifetimes, key distribution, key use ... I update the slides from time to time as standards and technology change, ...
www.cs.auckland.ac.nz/~pgut001/tutorial/ - 9k - Cached - Similar pages

Protecting against key-exposure: strongly key-insulated encryption ...

Keywords Key exposure · Key update · Encryption · Identity-based encryption. M. Bellare (... they may change with time as the security demands of the application change, in ... be practical can be viewed as having two parts. ...
www.springerlink.com/index/Y35J2150037M6166.pdf - Similar pages
 by M Bellare - 2006 - Cited by 32 - Related articles - All 5 versions

Key Components of Cryptographic Systems (Building Internet ...

What if the error was not random and a deliberate change was intended? ... Because of the slowness of public key encryption, it is not always a usable solution. ... Many parts of cryptography depend on being able to generate random ...
docstore.mik.ua/oreilly/networking_2ndEd/file/appco_02.htm - 25k - Cached - Similar pages

AACS encryption key controversy - Wikipedia, the free encyclopedia

Therefore, the "09 F9" key is only one of many parts that is needed to play a disc on ... disks mastered after 23 April, without an update of the software. ...
en.wikipedia.org/wiki/AACS_encryption_key_controversy - 134k - Cached - Similar pages

Protecting against Key Exposure: Strongly Key-Insulated Encryption ...

Keywords: Key exposure, key update, encryption, identity-based encryption. Furthermore, they may change with time as the security demands can be viewed as having two parts. One is to investigate the practicality of the model ...
eprint.iacr.org/2002/064.pdf - Similar pages
 by M Bellare - Cited by 33 - Related articles - All 5 versions

HP, IBM push new OASIS encryption key standard

... key management systems to control who gets access to different parts of the network. One system might be used for e-mail encryption, a second for storage and ... Today's Top Stories. Apple issues massive security update for Mac OS X ...
www.computerworld.com/action/article.do?command=viewArticleBasic&taxonomyName=security_hardw... - 93k - Cached - Similar pages

Access/VBA Tutorials - Changing the encryption type in Access 2007
 Jun 4, 2008 ... Encryption Uncovered – Part 1. This article is split into two parts: ... The Encryption Manager lets you change the encryption type on any already encrypted ... Encryption Algorithm Value 3. Encryption Key Length ...
www.everythingaccess.com/tutorials.asp?ID=Changing-the-encryption-type-in-Access-2007 - 40k - Cached - Similar pages

HP, IBM Push New OASIS Encryption Key Standard - Business Center ...
 Feb 12, 2009 ... HP, IBM Push New OASIS Encryption Key Standard ... management systems to control who gets access to different parts of the network. ... Mac OS X Gets Huge Security Update Apple issued multiple updates for Mac OS X and ...
www.pcworld.com/businesscenter/article/153439/hp_ibm_push_new_oasis_encryption_key_standard.html - 45k - Cached - Similar pages

Why encrypt ident/TAP replies?
 The decryption program uses the same key file as the encryption. ... file whenever you want to change the key (you should change your key often enough, ... There are a number of holes in Unix that allow users to read (parts of) any file ...
www.geckli.com/~harvest/tcpip-docs/why-encrypt.txt - 8k - Cached - Similar pages

UltraVNC :: View topic - Encryption Key Security
 19 posts - Last post: Jan 25, 2007
 Please update your viewer to 1.0.5.4! Read on about the found vulnerability. Looks like I'll have to use private key files and change them frequently. ... These parts are used to derive a session key on both ends. ...
forum.ultravnc.info/viewtopic.php?t=7232 - 56k - Cached - Similar pages

encryption - Implementer's notes
 Jun 15, 2007 ... About the first CRL issue, the websites need to update their installed ... This permits us to quickly change to a stricter mode if the consensus These methods work by breaking the encryption key into two parts; ...
my.opera.com/lyngve/blog/index.dml/tag/encryption - 54k - Cached - Similar pages

A proposal for supporting selective encryption in JPSEC - Consumer ...
 some parts of the codestream are encrypted while others are not (in this case the same key is used to encrypt ... transcoding can be applied to update the partial keys. ... encryption mode, encryption key or IPMP tool that are required to decrypt it. ... whole codestream, the slightest change or loss of data will ...
ieeexplore.ieee.org/iel5/30/28185/01261154.pdf?isnumber=28185&prod=JNL&amumber=1261154&arSt=+846&ared...Y... - Similar pages

Extending XSLT to Encrypt XML on the Fly | O'Reilly Media
 On the other hand, if you decide to change the XSLT processor you're Once we've opened the specified file, we'll try to retrieve the key ... As I mentioned earlier, we can use logic in our stylesheets to change which parts of the ...
www.oreillynet.com/pub/a/oreilly/web/news/xslt_0501.html - 50k - Cached - Similar pages

Encryption Ports
 The encryption key has to be set to a binary of at least the size specified in ... insert encrypt-port "test" update encrypt-port encrypted-data: copy ... q, dmp1, dmq1, iqmp - Parts of the secret key, used to improve the performance of ...
www.ietf.org/docs/encryption.html - 37k - Cached - Similar pages

(WO/2005/086412) METHOD FOR MANAGING TRAFFIC ENCRYPTION KEY IN ...

If the traffic encryption key update procedure for the multicast service or the To clarify the present invention, parts which are not described in the ...
www.wipo.int/pctdb/en/wipo.jsp?IA=KR2005000615&DISPLAY=DESC - 137k -
 Cached - Similar pages

[PDF] Design of secure multicast key management schemes with ...

File Format: PDF/Adobe Acrobat - View as HTML

Jun 28, 2001 ... An explicit design algorithm with given key update commu- ... common shared session encryption key (SEK, also called traffic encryption key) which is known only by valid members at ... Whenever there is a change in group membership, ... 2 consists of two parts, the logical tree, and the clusters. ...
www.ee.washington.edu/research/nsl/papers/IEEEcommlet-02.pdf - Similar pages
 by M Li - 2002 - Cited by 25 - Related articles - All 4 versions

US Patent awarded for HP Atalla Key Block innovation in encryption ...

Attacker cannot change any attribute of any key; Attacker cannot change any bits of any key ... Attacker cannot substitute parts of a key into another key ...
h20223.www2.hp.com/NonStopComputing/cache/604382-0-0-0-121.html - 30k -
 Cached - Similar pages

Scientific American: Article: Configurable Computing 6/97

(A key in encryption is a number used to scramble or unscramble a ... must have a distinct key, and the encryption hardware will change keys as parts of ... In many applications of DES, the encryption key remains constant while a long ...
xputers.informauk.uni-kl.de/ieconfigurable_computing/villasenor/0597villasenor.html - 25k -
 Cached - Similar pages

Strong encryption in ColdFusion MX 7

Either specify a simple name (like DES) or specify all three parts (like DES/CBC /PKCS5Padding). Unlike the encryption key, it is not necessary for the IV to be kept secret. ... a "Salt" and repeated hashing to change a password or a pass phrase into an encryption key. Last Update: 10-02-2006. ID: e546373d ...
kb.adobe.com/selfservice/viewContent.do?externalId=e546373d - 56k -
 Cached - Similar pages

HP, IBM push new OASIS encryption key standard

Feb 12, 2009 ... Today, IT staff must use different key management systems to control who gets access to different parts of the network. ... 15:01, Backup 3.0 update adds Linux files ... Facebook's Zuckerberg Calms Privacy Fears Over TOS Change ... Sun offers open-source encryption key management protocol ...
www.keylogger.org/news-world/hp-ibm-push-new-oasis-encryption-key-standard-4764.html - 39k - Cached - Similar pages

security crypto Re: how to encrypt Private key?

2 posts - Last post: Jun 13, 2005

Here you are: ISO 11700 (all parts) Security Techniques - Key ... when user change user PIN, my private key must decrypt and encrypt again ...
www.eggheadcafe.com/forumarchives/securitycrypto/jun2005/post23380655.asp - 16k -
 Cached - Similar pages

encryption key management posts - Security - CNET News

Feb 6, 2009 ... Read all 'encryption key management' posts on Security. ... Beyond the new technology features, the big change from TMG's predecessor ISA ... Update at 7 a.m. PST January 30: Clarification made in the final paragraph. There are two parts to the announcement, said Douglas Leland, general manager ...
news.cnet.com/security/?keyword=encryption+key+management - 125k -
 Cached - Similar pages

AIR 1.5 encrypted SQLite database — how to use it, best practices...

Nov 18, 2008 ... that you use to change the encryption key of an already encrypted

database. ... How you come up with that encryption key can have a big impact on the ... but then you can't update your AIR app because the decryption will fail. ... SQLite also uses these two parts (database engine and data), ... probertson.com/articles/2008/11/18/air-1_5-encrypted-sqlite-database-how-to/ - 39k - [Cached](#) - [Similar pages](#)

socialmedian: HP, IBM push new KMIP encryption key standard
Called the Key Management Interoperability Protocol (KMIP), the standard ... Today, IT staff must use different key management systems to control who gets access to different parts of the network. ... Tweet will be sent using (change) ... www.socialmedian.com/story/2971838/hp-ibm-push-new-kmip-encryption-key-standard- - 100k - [Cached](#) - [Similar pages](#)

UK appeals court rejects encryption key disclosure defense
Jeremy Kirk | Defendants can't deny police an encryption key because of fears the ... It was also one of the more controversial parts of RIPA, as critics said Some also say it will be able to change the earths rotation and control ... www.inciwars.com/uk-appeals-court-rejects-encryption-key-disclosure-defense/ - 52k - [Cached](#) - [Similar pages](#)

DS3600 Secure Supervisor with 64B Nonimprinting, Battery-Backed ...
Single-Chip Solution Provides Security, Tamper Detection, Encryption Key Storage ... On-Chip Temperature Sensing with Rate-of-Change Detector ... Other options and links for purchasing parts are listed at: <http://www.maxim-ic.com/sales>. ... www.maxim-ic.com/quick_view2.cfm/qv_pk/5159/t/al - 41k - [Cached](#) - [Similar pages](#)

[Paper] ICFS: Integrated Crypto-FileSystem into Vnode Layer using ...
Also ICFS provides simple encryption key management architecture by applying ICFS architecture ICFS consists of two parts, EDP(Encryption Decision Part) and ... File offset is used with no modification because there is no change the size of ... keys have a key_id that means the number of encryption key update. ... www.actapress.com/PDFViewer.aspx?paperid=25770 - [Similar pages](#)
by JD LimO - All 2 versions

[PDF] PIN Debit Security Awareness Program
File Format: PDF/Adobe Acrobat - [View as HTML](#)
Master File Key. MFK. Encrypt all other keys. Change immediately if Control Objective 6 - No one person has knowledge of all parts of any DES key. ... www.nyoe.net/resources/pdf/PIN_debit_encryption.pdf - [Similar pages](#)

Rhinoback Professional Online Backup Web Support Available 24x7
Once your encryption key is set, files that are stored on the Rhinoback™ server are encrypted with your key. If you change your encryption key, ... www.rhinoback.com/support/Support.aspx - 22k - [Cached](#) - [Similar pages](#)

Robert Sosinski » Simple and Restful Account Recovery for Ruby on ...
Mar 24, 2008 ... You will be using Ruby's OpenSSL library to encrypt and decrypt ... Next, pile your plain text string into the your crypto's update method and finish the cipher text output. ... The key has two parts, the user's id and their salt. ... account page with a friendly reminder to change their password. ... www.robertsosinski.com/2008/03/24/simple-and-restful-account-recovery-for-ruby-on-rails/ - 45k - [Cached](#) - [Similar pages](#)

Method for encryption of data based on an iteration of a stored ...
Feb 10, 2009 ... The real and imaginary parts of the result of the iteration of the Chaotic Equation Due to the change of the input key for each byte of data ... The update of the input key in a device is described further with ... www.patents.com/Method-encryption-data-based-iteration-a-stored-encryption-key/US7430246/en-US/ - 80k - [Cached](#) - [Similar pages](#)

[PDF] Layer 2 Ethernet Link Encryption

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Real-time encryption of 10/100BT Ethernet connections (IEEE 802.3). Full-duplex throughput independent of packet size. Key change without interruption of ...
www.atmedia.de/english/pdfs/100M_encryptor_layer_en.pdf - [Similar pages](#)

Municipality Key: Customize keyboard layout Change keyboard key ...

Key Transformation can customize your keyboard layout, change any key on the ...
 DeltaCrypt DUSK USB Key Encryption Solution lets people secure their mobile ...
www.soft411.com/software/municipality-key.html - 25k - [Cached](#) - [Similar pages](#)

[PDF] Key Replay Attack on Improved Bluetooth Encryption

File Format: PDF/Adobe Acrobat - [View as HTML](#)

up a previously used encryption key by a replay attack. In this paper, we show how this vulnerability can be So it is reasonable to assume that link keys do not change is able to recover such parts of the recorded session that ...
www.tcs.hut.fi/Publications/knyberg/kaarle.pdf - [Similar pages](#)
 by K Rittanen - [Related articles](#)

Blowfish Encryption

Nov 26, 1998 ... algorithm may be used in instances where the key does not change often.
 ... There are two parts to this algorithm; a part that handles the ... The first step in the algorithm is to break the original key into a ... Also, I will update the app note as the algorithm is implemented into our design. ...
www.ee.ualberta.ca/~elliott/ee552/studentAppNotes/1998f/blowfish_encryption/ - 12k - [Cached](#) - [Similar pages](#)

Key Management for Enterprise Data Encryption

the key, and there must be a way to change keys. Even with all of these (select/insert/update/delete). Users can be authenticated by any accepted ... the encrypted key is split into several parts and spread throughout the memory ...
papers.ssrn.com/sol3/Delivery.cfm/SSRN_ID1051481_code638181.pdf?abstractid=1051481&mind=1 - [Similar pages](#)
 by ULFT MATSSON - [Cited by 1](#)

[PDF] Microsoft PowerPoint - LSU Leif B Tape Encryption.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Data is compressed and encrypted – no change in media usage due to usage of encryption ... A "Returned Parts" upgrade – IBM gets the used parts back ... Large Systems Update 2006. IBM Tape Encryption Methods. Encryption Key ...
http://fp.software.ibm.com/software/emea/dk/lsu06/6b_-_LSU_Leif_B_Tape_Encryption.pdf
 - [Similar pages](#)

Pete Finnigan's Oracle security weblog

nCipher provides encryption key management for TDE in Oracle 11g ... Solutions around this include exposing parts of the PAN to all, different hashes ... it should handle key storage, retrieval, cycling, management, change on threat of ...
www.peteфинnigan.com/weblog/archives/00001184.htm - 31k - [Cached](#) - [Similar pages](#)

0xC0dE Shop: Database Encryption and Key Management, Part 1

When approaching the key management problem for a database encryption ... to store the key, use the key, back-up the key, and periodically change the key. ... Key splitting allows you to split the key into two or more parts and store ...
www.0xc0deshop.com/2008/03/database-encryp.html - 28k - [Cached](#) - [Similar pages](#)

[PDF] Dynamic Code Update for the Efficient Usage of Security Components ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

applications will fundamentally change our daily lives due to its ubiquitous update parts of TinyOS as well as exchange application components power- verse Multicast Traffic in

Wireless Sensor Networks: Encryption, Key Pre- ...

www.isi-ubsecons.org/publications/PoWeWe_WMAN07.pdf - Similar pages
by A Poschmann - Cited by 2 - Related articles - All 5 versions

Troubleshooting Integration with SQL Server 2005 and Microsoft ...

Use the configuration tool to change this service account and to back up the encryption key before you change the Report Server Windows service account or ...
msdn.microsoft.com/en-us/library/bb969101.aspx - 41k - Cached - Similar pages

The Digital Economy in Canada - Part 1: Cryptography and its ...

Secret key cryptography can be used to encrypt data and either store it the CA's private key), no unauthorized change can be made to the certificate ... of the encryption keys (or of key parts in the event that each encryption key ...
www.ic.gc.ca/eic/site/ecic-ceac.nsf/eng/gv00365.html - 21k - Cached - Similar pages

W&D | Publications | Advisories | <i>E-commerce:</i> U.S. Enforces ...

15 C.F.R. Parts 732, 740, 742, 744, 748, 770, 772 and 774 (2000). a corporate official that the change to the encryption is to the key length used for ...
www.wiggin.com/pubs/advisories...template.asp?GroupName=Patent&ID=153815192002-20k - Cached - Similar pages

Why Encryption Didn't Save TJX

Shared-key encryption is inherently risky, since humans think up convenient ... To change that scenario, you'd have to change all the applications so that ... have to get involvement from multiple parts of the organization to make sure ...
www.physorg.com/news/34568787.html - 74k - Cached - Similar pages

FIPS 46-2 - (DES), Data Encryption Standard

The feasibility of computing the correct key may change with advances in technology. The table has been divided into two parts, with the first part ...
www.itl.nist.gov/fipspubs/fip46-2.htm - 46k - Cached - Similar pages
by F PUB - Cited by 2 - Related articles - All 116 versions

News – Computerworlduk - The latest, breaking IT news, reviews and ...

Feb 13, 2009 ... EMC, HP, IBM push new OASIS encryption key standard ... Today, IT staff must use different key management systems to control who gets access to different parts of the network. ... Update: Sussex hospital scraps £2m patient system, ... must tackle climate change · Internet security is a global risk ...
www.computerworlduk.com/management/security/standards-law/news/index.cfm?newsid=13353 - 80k - Cached - Similar pages

[PDF] 27Mhz Wireless Keyboard Analysis Report aka "We know what you ...

File Format: PDF/Adobe Acrobat
functionalities, eavesdrop their traffic, crack the encryption key and decrypt We did not notice any automated key change interval and therefore assume ... The team remote-exploit.org is a group of people from various parts of the ...
www.blackhat.com/presentations/bh-dc-06/Moser/Whitpaper/bh-dc-06-moser-WP.pdf - Similar pages

[PDF] Encryption: Managing Keys and Data

File Format: PDF/Adobe Acrobat - View as HTML
Protecting the encryption key, so that the cleartext (unencrypted) version is only need a subset (M) of the key parts to restore the data. This is more ...
www.spectrallogic.com/index.cfm?fuseaction=home.displayFile&DocID=1344 - Similar pages

Hard disk encryption

Jul 11, 2007 ... When changing the UID also change the GID and supplemental groups. ... As you can see this xml file consists of three parts: ... you modify the xml file you have to call 'update-initramfs -u'. If there exists a /boot/cryptfs.key it will also be included in the

intramfs image as /etc/cryptfs.key (to ...
www.motzkau.eu/alex/crypto.html - 15k - Cached - Similar pages

MAGNETIC RECORDING MEDIUM ENCRYPTION - Patent - Systems and ...
[0006]However, in FDE, since the encryption key is set in advance before a HDD or a ...
there exists a problem that a user cannot change the encryption key. to shutdown
during the key update processing (not a normal system shutdown, ... 1, are denoted by
same symbols, and description of common parts will be ...
www.faq8.org/patents/app/20060240426 - 75k - Cached - Similar pages

[PDF] **OmniPro II Version 2.4 Owner's Manual Update**
File Format: PDF/Adobe Acrobat - View as HTML
A unique encryption key is randomly assigned to each OmniPro II controller at the factory
(no records of these keys are kept at ... It is entered into the controller in two parts ... PC
Access should change from "Off-Line" to "On-Line". ...
www.homeauto.com/Downloads/Products/AutomationControllers/OmniProII/20R03-2V2-
4.pdf - Similar pages

OASIS Forms Committee to Standardize Symmetric Encryption Key ...
All Industries | Change ... OASIS Forms Committee to Standardize Symmetric Encryption
Key Management. July 13, 2007 // Published as a news service by IHS ... HAYSTACK -
Parts/logistics mgmt. Hazardous Materials Mgmt. ...
engineers.ihc.com/news/oasis-symmetric-encryption.htm - 34k - Cached - Similar pages

Software Download: Symmetric Key Encryption
1on1 symmetric key entries are used for your HTML encryption, email security and
other CommuniCrypt products, minimizeable to tray, online update and much more! ... has
been taken to render all cryptographic parts as invisible & transparent as possible. RSA
encryption is a public-key encryption algorithm. ...
www.sharewareconnection.com/titles/symmetric-key-encryption.htm - 91k -
Cached - Similar pages

Regulators Change the Locks In Cyberspace - SIGNAL Magazine
The U.S. government is poised to adopt a new encryption standard that will replace ...
different parts of the cipher's key are added to the encryption process. ... This means that
no extra time is required for key setup, key change and ...
www.afcea.org/signal/articles/annviewer.asp?a=562 - 45k - Cached - Similar pages

Processor Editorial Article - The Wireless Security Update
Oct 27, 2006 ... Larsen notes, "The key used is like a group password, ... Rogers notes,
"The encryption is easily bypassed, and a business should not be ... He explains, "There
are two parts to the problem—authentication and encryption. ...
www.processor.com/editorial/article.asp?article=articles%2Fp2843%2F21p43%
2F21p43.asp - 23k - Cached - Similar pages

[PDF] **Lecture 17 - Diffie-Hellman key exchange, pairing, Identity-Based ...**
File Format: PDF/Adobe Acrobat - View as HTML
Nov 21, 2007 ... A forward secure public key encryption scheme has the following
components: ... Update mechanism We'll use a different secret key to decrypt at each time
period t ... encryption (IBE) is comprised of the following parts: ...
www.cs.princeton.edu/courses/archive/fall07/cos433/lec17.pdf - Similar pages

WPA Encryption No Longer Secure - Two researchers successfully ...
Nov 7, 2008 ... WPA Encryption No Longer Secure - Two researchers successfully cracked
the TKIP key used by the WPA protocol.
news.softpedia.com/news/WPA-Encryption-No-Longer-Secure-97418.shtml - 49k -
Cached - Similar pages

Service Key Providers
The Select an alias for Encryption Key window displays the key aliases from ... Use the

[View Service Key Provider Details page to view and change details of ...](#)
[download.oracle.com/docs/cd/E13159_01/psb/docs10gr3/consolehelp/proxyServiceProviders.html](#) - Similar pages

key change

Exefind contains 309 products regarding key change. ... It contains three modules: * Vocal remover to remove vocal parts from CD recordings ... for key exchange and management and asymmetric key encryption/decryption using US military. ...
[www.exefind.com/key-change/page5.html](#) - 17k - Cached - Similar pages

Free keygen rc4 encryption key maker 3.0 Download - keygen rc4 ...

Besides, you can update table in MicroStation to synchronize it with the original Excel ... o
 Parts lists o Notes ===== Unique Selling Points (USP) PGP Task -
 Public-Private key encryption with OpenPGP standard. ...
[wareseer.com/free-keygen-rc4-encryption-key-maker-3.0/](#) - 76k -
 Cached - Similar pages

APIs by Example: AES Encryption to Actual Field Length | System ...

The former divides the input data string into the two parts described in step ... So to change from one implementation to another a conversion step might be required. ...
 Cryptographic Key Management - Encrypt/Decrypt with Key Hierarchy ...
[systeminetwork.com/article/apis-example-aes-encryption-actual-field-length](#) - 45k -
 Cached - Similar pages

Computerworld - HP, IBM push new OASIS encryption key standard

HP and IBM are promoting a new encryption key management standard called KMIP. ...
 key management systems to control who gets access to different parts of the ...
 Anonymous on Mac OS X update causes Adobe file corruptions, users say: ...
[www.computerworld.com.au/article/276519/hp_ibm_push_new_oasis_encryption_key_standard?ip=4194304&ipid=1](#) - Similar pages

[PDF] Blowfish Encryption Algorithm

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 key does not change often, like a communications link or an automatic file encryptor. It is ...
 parts: a key-expansion part and a data- encryption part. ...
[pocketbrief.net/related/BlowfishEncryption.pdf](#) - Similar pages

[DOC] ENTER TITLE HERE (14 PT TYPE SIZE, UPPERCASED, BOLD AND CENTERED ...

File Format: Microsoft Word - [View as HTML](#)
 Total automorphism function can cast parts of local image data into other ... It can change message signatures among blocks and there is no need to save any index. ... Where denotes signatures of blockand denotes public key encryption ...
[www.ntnu.edu.tw/acad/docmeett/a11/a1104.doc](#) - Similar pages
 by FH Yeh - Related articles - All 6 versions

[PDF] Acr240.tmp

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 logue between users must have a distinct key, and the encryption hardware will change keys as parts of messages arrive for different users. ...
[www.es.uci.edu/~ipl/configurable_computing.pdf](#) - Similar pages

[PPT] Analysis of 802.16e Multicast/Broadcast group privacy keying protocol

File Format: Microsoft Powerpoint - [View as HTML](#)
 There are 2 parts of the protocol: the key request/response phase, ... Each MS and the BS share a pairwise AK and a pairwise KEK (key encryption key). the intruder can replay a previously recorded Key Update message. ...
[www.stanford.edu/class/cs259/WWW06/projects/project01/01-Slides.ppt](#) - Similar pages

RSA Encryption

Aug 27, 2006 ... Public key encryption is generally used to encrypt a session key ...
 [Version 2.6 update: you can do this much easier using the new RSA_EncodeMsg function.
 ... The function TestEncrypt shows the two parts to the process. ...
www.cryptosys.net/pki/rsa_encrypt_ex.html - 8k - Cached - Similar pages

Nick's obsolete stuff page

Don't try and change it with the configurator program (see below). ... Then update the
 airport. At this point, you should be cut off from your network, as you must next visit the ...
 This number is the current encryption key for the network. ... That means that Sun has
 those keyboards available as spare parts. ...
www.klu.com/~nsayer/freesd/obsolete.html - 8k - Cached - Similar pages

Pidgin-Encryption FAQ

Pidgin-Encryption won't use key files that are world-writable, ... Hopefully, the easy parts
 are built in, and the hard parts are do-able, if the user wishes. ... keys are automatically
 exchanged (but, like SSH, you can change this). ...
pidgin-encrypt.sourceforge.net/FAQ.php - 12k - Cached - Similar pages

IT Security Expert: PCI Encryption Practice Flawed due to the Banks?

Jun 6, 2007 ... Regardless of if we like it or not, PCI will change and there will be ...
 Encryption mitigates at rest risks. The key management parts are ...
blog.itsecurityexpert.co.uk/2007/06/pci-encryption-practice-flawed-due-to.html - 42k -
 Cached - Similar pages

1 2 3 4 5 6 7 8 9 10 Next

encryption key (change OR update) parts

Search within results - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Video Gmail more ▾

Sign in



encryption key (part OR portion) broadcast

Search

Advanced Search
Preferences

Web Books

Results 1 - 100 of about 171,000 for [encryption key \(part OR portion\) broadcast](#) with Safesearch on. (0.30 s)

[Multi-layer encryption system for the broadcast of encrypted ...](#)

Sponsored Links

Today's TV Listings

Get a schedule of today's hottest & most popular shows on TV. Free!

www.google.com/ig

Encryption Key

Register for Free Business Software Demos. Registration Required!

www.2020Software.com

Security Jobs

Middle East Job Opportunities.

Upload your Resume now: Free!

www.Bayt.com

Part Food

Found: 321 jobs in your area

Make \$15 - \$100 / hour with bonuses!

www.localjobsavailable.net

Applications Log Analysis

Log Management, Reports, Analytics

Alerts and more. Download Now!

www.xplg.com

Such signals may be part of a cable television system (CATV), a subscription The encrypted key portion of a control channel message is separated by ...

www.freepatentsonline.com/4531020.html - Similar pages

by AJ Wechselberger - 1965 - Cited by 37 - Related articles - All 3 versions

Controlling With Rights Objects Delivery Of Broadcast Encryption ...

In comparison with public key methods, broadcast encryption requires as part of a method of controlling delivery of broadcast encryption content for a ...

www.freepatentsonline.com/y2009/0013173.html - Similar pages

by E Jung - 2009

More results from www.freepatentsonline.com »

Authenticated Secure Group Communication using Broadcast ...

Authenticated Secure Group Communication using Broadcast Encryption Key ... using a part of the information keys which is used for secret key computation, ...

portal.acm.org/citation.cfm?id=1396605.1397637&coll=dl=&dl=&CFID=15151515&CFTOKEN=6184618 - Similar pages

A Signature-like Primitive for Broadcast-encryption-based Systems

Logically, a broadcast encryption media key block contains two parts. The first part is a

list that identifies the subsets of devices used in this ...

ieeexplore.ieee.org/iel5/4193087/4193088/04199298.pdf?tp=&number=4199298 - Similar pages

Public Key Broadcast Encryption Schemes With Shorter Transmissions

a Public Key Broadcast Encryption (PKBE) scheme (with the capability of traitor tracing), ... a part of the public key associated with a set of these receivers. ... the basic BGW scheme, almost an entire portion of the public key (...

ieeexplore.ieee.org/iel5/114359969/04475818.pdf?arnumber=4475818 - Similar pages by J-H Park - 2006

More results from ieeexplore.ieee.org »

An ID-based broadcast encryption scheme for key distribution

Bilinear pairing ; broadcast encryption ; key distribution ; ... No part of these records may be reproduced of distributed, in any form or by any means, ...

cat.inist.fr/?aModele=afficheN&cpsidr=16792305 - Similar pages by X DU - 2005 - Cited by 14 - Related articles - All 4 versions

Secret-public storage trade-off for broadcast encryption key ...

Secret-public storage trade-off for broadcast encryption key management ... No part of these records may be reproduced of distributed, in any form or by any ...

cat.inist.fr/?aModele=afficheN&cpsidr=16334133 - Similar pages by MJ MIHALJEVIC - Cited by 4 - Related articles - All 3 versions

More results from cat.inist.fr »

LNCS 4097 - Broadcast Encryption Using Efficient Key Distribution ...

For their part, broadcasters need to generate and distribute keys. Yevgeniy Dodis and Nelly Fazio, "Public Key Broadcast Encryption for Stateless ...

www.springerlink.com/index/8v04515x26522mu4.pdf - Similar pages by DG Lee - Related articles

LNAI 3802 - Broadcast Encryption Using Identity-Based Public-Key ...

(Eds.): CIS 2005, Part II, LNAI 3802, pp. 1092 –1097, 2005. ... In this paper, a new public-key broadcast encryption scheme, which ...

www.springerlink.com/index/k1384384h64r084m.pdf - Similar pages by L Xixiang - Related articles - All 2 versions

More results from www.springerlink.com »

(WO/2006/056549) BROADCAST ENCRYPTION WITH DUAL SIZE TREES

Preferably, the key management scheme is used for broadcast encryption. the old devices are designed so that they ignore any part of the media key ...

www.wipo.int/pctdb/en/wo.jsp?IA=EP2005056010&WO=2006056549&DISPLAY=DESC - 30k - Cached - Similar pages

(WO/2006/052111) METHOD OF MANAGING USER KEY FOR BROADCAST ENCRYPTION

Further, in such an encryption key management scheme, the most important At this time, some nodes located near both end portion of the straight line can keys of rightward part of the one-way key chain starting from the key K ...

www.wipo.int/pctdb/en/wo.jsp?IA=WO2006052111&DISPLAY=DESC - 35k - Cached - Similar pages

More results from www.wipo.int »

Controlling Delivery Of Broadcast Encryption Content For A Network ...

In comparison with public key methods, broadcast encryption requires orders encrypt content for the cluster, and download the content all as part of a ...

www.fqqs.org/patents/app/20080253574 - 56k - Cached - Similar pages

Method of playing broadcast program contents using encryption and ...

[0025]an encryptor arranged to encrypt the broadcast signal received by the ... of a broadcast program content is encrypted using an encryption key uniquely and in which only an intermediate portion of the program (i.e., a part of ...
www.iads.org/patents/app/20080266466 - 101k - Cached - Similar pages
 More results from www.iads.org »

802.11 Security

Jun 7, 2002 ... It is unsafe to use the same encryption key twice. ... Since the root key is broadcast over an unsafe network, an intruder may ... He is also pursuing my MS in Electrical Engineering (part-time) in Columbia University. ...
www.wirelessdevil.net.com/articles/80211security_2/ - 28k - Cached - Similar pages

[PDF] Microsoft PowerPoint - Fault Tolerant and Distributed Broadcast ...

File Format: PDF/Adobe Acrobat - View as HTML

Broadcast Encryption. Paolo D Arco and Douglas R Stinson ... Each server stores a part of the movie and a key ... Each part is encrypted by computing E ...
www.cs.fsu.edu/~yasinsac/group/slides/narayan2.pdf - Similar pages
 by PD Arco - Cited by 14 - Related articles - All 9 versions

[PDF] Anonymous Trust: Digital Rights Management Using Broadcast Encryption

File Format: PDF/Adobe Acrobat - View as HTML

Broadcast encryption. Fiat & Naor, 1993 find a key management scheme with revocation, but without the handshake ... the anonymous part of anonymous trust ...
www.cmlab.csie.ntu.edu.tw/~iprf/.../Anonymous%20Trust%20Digital%20Rights%20Management... - Similar pages

[PDF] Broadcast Encryption Using Probabilistic Key Distribution and ...

File Format: PDF/Adobe Acrobat - View as HTML

This paper is based on "On Broadcast Encryption with Random Key ... This work was supported in part by NSF grants EIA-0103722 and CNS-0448070. ...
www.academypublisher.net/jcp/vol01/no03/jcp01030112.pdf - Similar pages
 by M Ramkumar - 2006 - Cited by 3 - Related articles

Hierarchical encryption key system for securing digital media ...

The hierarchical encryption key system uses a hierarchical series of ... Each of these layers implements a portion of the overall ... 409 to the customer device as part of the digital content bitstream. ... Content can be encrypted in real time for broadcast or encrypted off-line and recorded for later delivery. ...
www.patentgenius.com/pateni/7430365.html - 38k - Cached - Similar pages

Local digital network, methods for installing new devices and data ...

The source device uses a network active encryption key to encrypt data ... of the Applicant THOMSON Licensing S.A. relates for its part to a method for ... active encryption key and it encrypts the data liable to be broadcast in the ...
www.freshpatents.com/Local-digital-network-methods-for-installing-new-devices-and-data-broadcast-and-reception-methods... - 31k - Cached - Similar pages

Conditional access for a multimedia broadcast service using a ...

[0014] Preferably, the encryption key is inserted into a specific part of a ... broadcasting station periodically updates the encryption key and inserts the ...
www.freshpatents.com/Conditional-access-for-a-multimedia-broadcast-service-using-a-wireless-terminal-di20060601ptan... - 29k - Cached - Similar pages
 More results from www.freshpatents.com »

INDICARE Project - Consumer issues on digital rights management (DRM)

The DRM standardized in Japan employs a three-step encryption system. and management requirements and a part of RMP1 transmitted via broadcasting is ... Digital broadcasting receivers will be distributed with a key for broadcast ...
www.indicare.org/tiki-read_article.php?articleId=166 - 19k - Cached - Similar pages

InfoStor : NTP addresses encryption, December 2006 Page 1

December 1, 2006—NTP Software this week released Encryption Sentinel, software that protects data from being copied or read by ... Security: The importance of key management, part 1 ... Original broadcast on. December 11, 2007 ...
www.infostor.com/article_display/ntp-addresses-encryption/278622/s-articles/s-infostor/s-top-news/s-1.html - Similar pages

InfoStor : LTO-4 encryption secures data, August 2008 Page 1

Encryption is often necessary to secure data on tapes, and LTO-4 includes drive-level encryption. ... Looking at the two-part authentication, 128-bit key lengths or keys that change every few ... Original broadcast on. December 11, 2007 ...
www.infostor.com/article_display/content/global/en-us/articles/infostor/volume-12/issue-8/special-reports/lto-4-encryption-secures-da... - Similar pages
 More results from www.infostor.com ..

Broadcast Encryption

to all subsets of size at most k, it is not a part of. The common key for a broadcast encryption scheme and encrypt s j using the common key of ACL ...
infotab.stanford.edu/~dilya/dbprivacy/krishnaram/broadcast_encryption.pdf - Similar pages

IBM Research | Almaden Research Center | Computer Science

Broadcast Encryption is a cryptographic key management technology for a ... Broadcast encryption has first been used for copy protection as part of the 4C ...
<https://www.almaden.ibm.com/cs/projects/xcp/> - 18k - Cached - Similar pages

[PS] Attribute-Based Broadcast Encryption Scheme Made Efficient

File Format: Adobe PostScript - View as HTML
 In this part, we give a formal definition of an attribute-based In this paper, we have built a new public-key broadcast encryption scheme espe- ...
perso.univ-rennes1.fr/thomas.sirvent/articles/2008_afriacrypt.ps - Similar pages

[PDF] Secure Multicast and Broadcast Secure Multicast and Broadcast ...

File Format: PDF/Adobe Acrobat - View as HTML
 Group Key Encryption Key (GKEK). Due to broadcasting, the GKEK must also ... The adversary forges some part of the BS's GTEK update command message. ...
portal.etsi.org/boxbox/Workshop/2009/.../TATA_JAYDIP_SecureMulticastandBroadcastCommunicationinBroadbandWir... - Similar pages

[doc] Project

File Format: Microsoft Word - View as HTML
 Secure and Robust Multicast and Broadcast Services in 802.16m ... To transfer a Group Traffic Encryption Key (GTEK) to all group members, ... broadcast key updates are avoided. The GTEKs are generated as part of hash chain. ...
www.ieee802.org/16/tgm/contrib/C80216m-08_832r1.doc - Similar pages

Journal of Systems Engineering and Electronics : Broadcast group ...

Dodis Y, Fazio N. Public key broadcast encryption for stateless receivers. ... Y Dodis and N Fazio, Public key broadcast encryption secure against adaptive ...
linkinghub.elsevier.com/retrieve/pii/S1004413208600260 - Similar pages
 by M Churbo - 2007 - Cited by 1 - Related articles - All 4 versions

[PDF] Key Replay Attack on Improved Bluetooth Encryption

File Format: PDF/Adobe Acrobat - View as HTML
 link key to allow encryption of broadcast traffic. Note that tected since he does not know the new link key. [1, Part H., Sect. 3.2.8] ...
www.tcs.hut.fi/Publications/knyberg/kaarle.pdf - Similar pages
 by K Pajvanen - Related articles

[PDF] A Tunable Broadcast Encryption Scheme

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In this section, we describe a public-key broadcast encryption scheme with The first part of the proof consists in showing that there exists no ...

eprint.iacr.org/2007/329.pdf - [Similar pages](#)

by D Lubicz - [Related articles](#) - [All 2 versions](#)

[\[PDF\] Public Key Broadcast Encryption with Low Number of Keys and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Research supported in part by NSC projects 96-2628-E-009-011-MY3, 96-3114- ... In this paper we refer "stateless public key broadcast encryption" as "public ...

eprint.iacr.org/2007/167.pdf - [Similar pages](#)

by YRi Liu - [Related articles](#) - [All 3 versions](#)

[More results from eprint.iacr.org »](#)

[Bluetooth Security - Google Books Result](#)

by Christian Gehrmann, Joakim Persson, Ben Smeets - 2004 - Computers - 294 pages

This 3-bit address field is part of the payload header. ... It is, of course, inappropriate to use the broadcast encryption key for unicast traffic Run ...

books.google.com/books?isbn=1550535046...

[Privacy in Encrypted Content Distribution Using Private Broadcast ...](#)

Just as public key encryption is a special case of broadcast encryption, key by copying the first portion of the header and encrypting M ...

www.adambarth.com/papers/2006/barth-bonen-waters.pdf - [Similar pages](#)

by A Barth - 2006 - [Cited by 10](#) - [Related articles](#)

[Wireless Authentication and Encryption with Zeroshell Linux \(Part 2\)](#)

May 19, 2008 ... Part Two: Zeroshell makes it easy to harness FreeRADIUS and other open source tools to ... encryption key management, and setting up your WAPs. ... Use

scan_ssid=1 when your access point doesn't broadcast its SSID. ...

www.enterprisenetworkingplanet.com/netsecur/article.php/3747341-77k-

[Cached](#) - [Similar pages](#)

[Broadcast encryption](#)

Jun 18, 2004 ... Next: Limitations of broadcast encryption Up: Mechanisms based on symmetric ... digital content exchanged by the compliant devices part of the group. ... the encrypted group key can then be safely broadcast to the entire ...

www.cs.vu.nl/~bpcpescu/papers/inspw04/node8.html - [Similar pages](#)

[\[PPT\] Prime Numbers and Public Key Encryption \(Part II\)](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Prime Numbers and Public Key Encryption (Part II) anyone can create a key claiming to be someone else and broadcast it; until forgery is discovered can ...

bitterroot.vancouver.wsu.edu/cs427_Spring09/slides/7RSA-Continued.ppt - [Similar pages](#)

[Information Security Management Handbook - Google Books Result](#)

by Harold F. Tipton, Micki Krauss - 2006 - Computer security - 2036 pages

One encryption key is used to encrypt the individual stream of data between ... Thus, broadcast key rotation is only effective as part of an overall WLAN ...

books.google.com/books?isbn=0849319978...

[METHOD FOR BROADCAST ENCRYPTION AND KEY REVOCATION OF STATELESS ...](#)

Subset keys associated with the subsets are then used to encrypt a session key that in turn is used to encrypt the broadcast content. ...

www.patents.com/METHOD-FOR-BROADCAST-ENCRYPTION-AND-KEY-REVOCATION-OF-STATELESS.../en-US/ - 101k - [Cached](#) - [Similar pages](#)

[Page 1 Mobile Broadcast Addendum to CMLA Service Provider ...](#)

portion of the CMLA Technical Specification, but which by itself may not be ... Part 2. The following clauses in Section 1 of the Service Provider Agreement shall be Encryption Key). Yes. Yes. Broadcast mode and Interactive Mode ...

www.cm-la.com/.../Mobile%20Broadcast%20Addendum%20to%20CMLA%20Se... -

Similar pages

[PDF] [An identity-based broadcast encryption scheme for mobile ad hoc ...](#)

File Format: PDF/Adobe Acrobat - View as HTML

as a broadcaster in which he can select the designated re- ceiver(s)(the whole ad hoc group or part of it) by himself and encrypt the message(key) that is ...

www.nit.eu/czasopisma/JTIT/2006/1/24.pdf - Similar pages

by CY Ng - Related articles - All 2 versions

[Kilian's Guide: Wireless Network Security in Windows XP Pt. 1](#)

Feb 13, 2005 ... Remember the logon password and encryption key you set. ... Change

SSID and disable SSID Broadcast. Go to TOP. Go to Part 2 ...

www.geocities.com/kilian0072002/wireless_net/wireless_net_sect1.html - 14k -

Cached - Similar pages

[doc] [CONTRIBUTION](#)

File Format: Microsoft Word

May 7, 2007 ... IPTV-C-0217], KMS is regarded as part of cryptographic assets. ... In order

to establish traffic encryption key (KTEK), KMS need broadcast ... [LKH] is such a

protocol and the first practical broadcast encryption scheme. ...

tes.iu.int/ftp/public/lu-ut/giptv/readonly/Previous_Meetings/20070507_Bied-

Slovenia/Contributions/FG%20IPTV-C-0490e.doc - Similar pages

[Bluetooth Security](#)

This part covers the lower level of Bluetooth security (Link Level security), ... Bluetooth

WPAN Security PIN Authentication Encryption Link Key Control ... If a unit key or a

combination key is used, broadcast traffic is not encrypted. ...

www.paiowireless.com/bluearticles/cc1_security1.asp - Similar pages

[Public Key Infrastructure RSA Encryption from SSL Certificate ...](#)

Users broadcast their public keys to everyone with whom they must ... Others are EPOC (Efficient Probabilistic Public Key Encryption), SSL Key ... public key certificate, or a self-

signed certificate, and is part of a PKI scheme. ...

www.instantssl.com/ssl-certificate-products/glossary/ssl-glossary-pqr.html - 23k -

Cached - Similar pages

[Digital Library](#)

Authenticated Secure Group Communication using Broadcast Encryption Key ... The

scheme provides authenticity by using a part of the information keys which ...

www2.computer.org/portal/web/csd/doi/10.1109/ITNG.2006.84 - 34k -

Cached - Similar pages

by R Aparna - Related articles - All 2 versions

[PDF] [A Mechanism for Communication-Efficient Broadcast Encryption over ...](#)

File Format: PDF/Adobe Acrobat - View as HTML

Key words: reliable message delivery, broadcast encryption, key ... ceivers are mobile nodes part of a multihop ad hoc wireless network. A simple ...

www.argreenhouse.com/society/wcan06/wcan06s3p1.pdf - Similar pages

[Centre for Content Protection - Asia Pacific - Japan's Broadcast ...](#)

With the broadcast of images or sounds becoming digital, repeated copying of ... a unique master key that is stored in the tamper-resistant part of the card. This key is shared with

broadcasters and is used to encrypt personal contract ...

www.contentprotection.net/index.php?option=com_content&task=view&id=25&Itemid=51 -

21k - Cached - Similar pages

Network Systems DesignLine | Securing a wireless network--The ...

Feb 9, 2007 ... Here's Part II from a chapter right out of 'Home Network Security ... Do not advertise your network (turn off SSID broadcast). ... Think of an encryption key like a PIN code that has 64 or 128 digits instead of 4. ...

www.networksystemsdesignline.com/showArticle.jhtml?printableArticle=true&articleId=197004714 - 26k - Cached - Similar pages

Terminology and Abbreviations

short-lived traffic encryption key TEK. The broadcasted TEK is itself ... Mobile Application Part. MBMS. Multimedia Broadcast Multicast Service ...

doi.wiley.com/10.1002/9780470771013.abbrev - Similar pages

[PS] EFFICIENT USER REMOVAL IN BROADCAST CHANNEL WITH SYMMETRIC ...

File Format: Adobe PostScript - View as HTML

old broadcast keys are not the part of our interest and are not discussed in this

Broadcast encryption with random key pre-distribution schemes ...

www.mat.savba.sk/tatra/Full/33/06BYRKA.ps - Similar pages

by J Byrka - 2006

Threshold Broadcast Encryption With Reduced Complexity

Broadcast encryption (BE) deals with the problem of securely transmitting data to a dynamically changing group of. This work is supported in part by the ...

www.cs.bilkent.edu.tr/~selcuk/publications/tbe_ISCIS07.pdf - Similar pages

by KK Kaskaloglu - 2007 - Related articles

AACS encryption key controversy - Wikipedia, the free encyclopedia

Because the encryption key may be used as part of circumvention technology [64]

Current TV broadcast the key during a Google Current story on the Digg ...

en.wikipedia.org/wiki/AACS_encryption_key_controversy - 134k - Cached - Similar pages

Encrypted broadcast television system - US Patent 4736422 claims

means for generating a first encryption key P required at a receiver to ... encryption

means has the property that if any part of the encrypted signal ...

www.patentstorm.us/patents/4736422/claims.html - Similar pages

UK appeals court rejects encryption key disclosure defense ...

In its ruling, the appeals court said an encryption key is no different than a ... The third part of RIPA concerning the disclosure of encryption keys came ...

www.privacydigest.com/2008/10/15/uk+appeals+court+rejects+encryption+key+disclosure+defense - 33k - Cached - Similar pages

[PDF] RECOMMENDATIONS TO EARLY IMPLEMENTERS: ENCRYPTING BROADCAST ...

File Format: PDF/Adobe Acrobat - View as HTML

to perform negotiations for the size of the broadcast encryption key are discussed.

Part H-1: Host Controller Functional Specification ...

www.bluetooth.com/NR/rdonlyres/11D09750-FD79-4F73-9A51-A71CFCE5D65C/0/security_implementers.pdf - Similar pages

by SIG Bluetooth - Related articles - All 5 versions

[PPT] SPINS: Security Protocols for Sensor Networks

File Format: Microsoft Powerpoint - View as HTML

Readings keys encryption, MAC shared key for 2 party but broadcast need ... mac and tesla part constitute 50% of packet, key chain not fit in node memory ...

www.cs.chalmers.se/~tsigas/Courses/SecurityArena/Slides/080415_SPINS.ppt - Similar pages

Applied Cryptography, 2nd. Edition - Table of Contents

Part II: Cryptographic Techniques Ch. 7: Key Length ... Ch. 12: Data Encryption Standard.

Ch. 13: Other Block Algorithms ... SECURE ELECTIONS; Secure Multiparty Computation; Anonymous Message Broadcast; DIGITAL CASH. Part II: ...
www.schneier.com/book/applied-toc.html - 27k - Cached - Similar pages

[PDF] **A Mechanism for Communication-Efficient Broadcast Encryption over ...**
File Format: PDF/Adobe Acrobat - View as HTML
context, the source and the receivers are mobile nodes part of a Here, we consider a broadcast encryption scheme with key updates of bit length k ...
research.microsoft.com/en-us/um/people/senryk/pubs/rmdm.pdf - Similar pages

[PDF] **Encryption in Wireless Systems 1 Secure Tunnels 2 Security of ...**
File Format: PDF/Adobe Acrobat - View as HTML
part of a message. Such a small space of initialization vectors guarantees the reuse of ... In encryption mode 2, broadcast traffic is not encrypted, but the individually ... As the encryption key size varies from 8 bits to 128 bits, ...
comsec.uwaterloo.ca/~ggong/716F05/enc.pdf - Similar pages

Verimatrix: Digital Video Encryption | Verimatrix | Solutions
VCAS for DVB is an integral part of the Verimatrix 3-Dimensional Content Security ...
Common key management model across broadcast, streaming and file-based ...
www.verimatrix.com/solutions/dvb.php - 24k - Cached - Similar pages

[PPT] **SDS**
File Format: Microsoft Powerpoint - View as HTML
GTEK is encrypted by Group Key Encryption key (GKEK) which is also shared ...
Broadcast key updates are avoided. GTEKs are generated as part of hash chain. ...
wirelessman.org/tgm/contrib/S80216m-05_892r2.ppt - Similar pages

EFFECTS OF USER ADJACENCY IN THE SUBSET DIFFERENCE SCHEME FOR ...
and encrypt each broadcast with the key associated to the current privileged set. one part of the SD tree, either to the left or to the right. ...
www.it-isy.liu.se/publikationer/EffectsOfAdjacency.pdf - Similar pages
by K Anderson - 2005 - Cited by 2 - Related articles

Revocation and Tracing Schemes for Stateless Receivers - Naor ...
Details Efficient State Updates for Key Management (2001) Benny Pinkas ... Xu A Flexible Framework for Secret Handshakes or: How to Achieve Multi-Part Details Efficient Broadcast Encryption Scheme with Log-Key Storage (2005) Yong Ho ...
citeseer.ist.psu.edu/article/naor01revocation.html - Similar pages

[PDF] **Public Key Broadcast Encryption for Stateless Receivers**
File Format: PDF/Adobe Acrobat - View as HTML
Even though symmetric key broadcast encryption is sufficient for or right part G. R depending on the direction of the edge, and finally applying G ...
crypto.stanford.edu/DRM2002/dodis.pdf - Similar pages
by Y Dodis - Cited by 77 - Related articles - All 10 versions

Financial Cryptography: Hal Finney on 'AACs and Processing Key'
May 3, 2007 ... The AACs system implements broadcast encryption: ... Then we encrypt to the device key of node B that was assigned as part of the device key ...
https://financialcryptography.com/mnt/archives/000908.html - 22k - Cached - Similar pages

[PDF] **Efficient Multi-Receiver Identity-Based Encryption and Its ...**
File Format: PDF/Adobe Acrobat - View as HTML
highly efficient public key broadcast encryption scheme based on the which is a part of a target ciphertext as a part its decryption query; ...
www.12r-a-star.edu.sg/~jsbaek/publications/emnbe_pkc05.pdf - Similar pages

[PS] **Nelly Fazio**
File Format: Adobe PostScript - View as HTML

tion for public-key broadcast encryption [10]. Broadcast Encryption. As part of the research for the Laurea thesis [13], visited the ...
[www-cs.corny.cuny.edu/~fazio/NellyFazio-CV.ps](#) - Similar pages

DSNetworks HOME Page

The central part of any wireless networks is the access point, ... The encryption is done by what's known as a WEP key, which is a special number that you ... Wireless access points broadcast the SSID repeatedly to the outside world. ...
[www.dsnetworks.demon.co.uk/](#) - 17k - Cached - Similar pages

CommsDesign - Securing WLAN Links: Part 3

In the final part of this series, we'll layout some technology solutions that One, the broadcast root/shared key is never directly used for encryption. ...
[www.commsdesign.com/Design_corner/OEG20020730S0022](#) - 50k - Cached - Similar pages

CS395T: Advanced Cryptography

Part 1: Public Key Encryption, Identity-Based Encryption and More ... Lecture 17: Broadcast Encryption; Lecture 18: Traitor Tracing ...
[www.cs.utexas.edu/~bwaters/classes/cs395t-spring09/materials.html](#) - 5k - Cached - Similar pages

Applied Cryptography, Second Edition

Aug 23, 1995 ... Software Encryption; Compression, Encoding, and Encryption; ... Conference Key Distribution and Secret Broadcasting Chapter 23: Special ... Probabilistic Encryption; Quantum Cryptography Part IV: The Real World Chapter ...
[www.interesting-people.org/archives/interesting-people/139508/msg00002.html](#) - Similar pages

How to Secure Your Wireless (WiFi) Network (Page 2 of 4): Sling ...

WEP is, for the most part, a great security measure. ... The encryption is done by what's known as a WEP key, which is a special number that you choose. ... Wireless access points broadcast the SSID repeatedly to the outside world. ...
[www.slingcommunity.com/article/10397/How-to-Secure-Your-Wireless--WiFi--Network/?textpage=2](#) - 26k - Cached - Similar pages

Microchip Technology Announces dsPIC30F Symmetric and Asymmetric ...

The dsPIC30F Symmetric Key Encryption Library enables embedded designers ... It uses a two-part key.) algorithms, which each utilize two separate ... mode, Cipher Block Chaining mode (CBC (1) (Cell Broadcast Center) See cell broadcast. No portion of this article can be reproduced without the express written ...
[www.thefreelibrary.com/Microchip+Technology+Announces+dsPIC30F+Symmetric+and+Asymmetric+Key...+a0127549514](#) - 31k - Cached - Similar pages

[PDF] A Java Framework for Broadcast Encryption Algorithms

File Format: PDF/Adobe Acrobat - View as HTML
 DES Data Encryption Standard. A 56-bit block cipher. Header The part of a broadcast message that contains key and access rights information. ...
[www.diva-portal.org/diva/getDocument?urn_nbn_se_liu_diva-2504-1__fulltext.pdf](#) - Similar pages
 by T Hesselius - Related articles - All 2 versions

All About Home Wireless Network Security Part I

This site may harm your computer.
 [4] WPA deals with WEP's static encryption key issue. ... Why would you broadcast your SSID? (not a flippant question, but serious it seems weird to do so ...
[it.toolbox.com/blogs/unwired/all-about-home-wireless-network-security-part-i-2909](#) - Similar pages

[PDF] A 6805-based Security System for Broadcasting Stock Information

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This research was supported in part by the Chilong Data Products Corp., Taipei, Taiwan.
Abstract: This research describes the transmitted in the active portion of available TV ...
 encrypt the session key directly or indirectly for ...
[crypto.nknu.edu.tw/publications/ccst2000.pdf](#) - Similar pages
 by CH Yang - Cited by 2 - Related articles - All 6 versions

The Best Free (and Cheap) Security Software Part 1: Hashes and ...

All they need is the password that you used to perform the encryption. Note that a Key Length meter is present to display the number of bits in your encryption key. This material may not be published, broadcast, rewritten or ...
[www.scmagazineus.com/The-Best-Free-and-Cheap-Security-Software-Part-1-Hashes-and-Encryption/article/30512/](#) - 56k - Cached - Similar pages

Dr. Dobb's | Securing a Wireless Network: Part III | February 12, 2007

By default, wireless routers are set up to broadcast their SSID to make it ... To turn on encryption, we make up a secret key (see the previous section on ...
[www.ddj.com/embedded/197005353](#) - 42k - Cached - Similar pages

Configuring IPsec/IKE on Solaris Part Three

AKY: f123bce6583132cf68dab9fc8339d4b/128 EKY: Encryption key. mtu 1500 index 2 inet 10.89.144.243 netmask ffffff80 broadcast 10.89.144.255 ether ...
[www.securityfocus.com/infocus/1628](#) - 31k - Cached - Similar pages

dacs.doc electric: Networking Fun(damentals) Part 4

A downside of having the ESSID being broadcast is that you may have an unwelcome guest ... In either case, you will be required to enter an encryption key. ...
[www.dacs.org/archive/0504/feature2.htm](#) - 14k - Cached - Similar pages

Linux Security for Beginners - An Introduction to Wireless Security

For example, the encryption key is used as part of the mathematical equation on the sending system to encrypt the data. The receiving system then uses the ...
[www.linuxtopia.org/LinuxSecurity/LinuxSecurity_WirelessSecurity.html](#) - 29k - Cached - Similar pages

[Paper] Reversed Message Authentication Code Chain Broadcast (RMCB ...

Security is an important part of developing safe systems using WSN. BK : The broadcast encryption key. • IMAC : Message Authentication Code for message ...
[www.actapress.com/PDFViewer.aspx?paperId=30454](#) - Similar pages
 by AE Hegazy - Cited by 2 - Related articles - All 2 versions

Broadcast Encryption Broadcast Encryption

Step2. cover the remaining part with one interval starting from the special node ... Public-Key Broadcast Encryption. Key Broadcast Encryption ...
[itrc.security.re.kr/~atrc/adm/thesis/data/20051017_chcheon.pdf](#) - Similar pages

Encryption Key Management: A Technical White Paper ...

Quantum's Encryption Key Manager (Q-EKM) is a centralized key manager application that manages the encryption keys used as part of the LTO Ultrium 4 Oil / Gas / Mining / Other natural resources, Publishing / Broadcast / Media ...
[techfinder.searchsecuritychannel.com/search/regSummary/tsearchsecuritychannel/sold.92789](#) - 130k - Cached - Similar pages

Existing cables key part of home networks - Networking - iTnews ...

New encryption technology aims to beat terrorists and organised crime ... This material may not be published, broadcast, rewritten or redistributed in any ...
[www.itnews.com.au/News/77629/existing-cables-key-part-of-home-networks.aspx](#) - 88k - Cached - Similar pages

What are the Key Features of WPA Security?

The important part to know at this point is that the software supporting the ... the global encryption key used for multicast and broadcast traffic. ... For the global encryption key, WPA includes a facility (the Information ... The MIC is placed between the data portion of the IEEE 802.11 frame and the 4-byte ICV. ...
documentation.netgear.com/reference/ra/wireless/WirelessNetworkingBasics-3-14.html - Similar pages

Video/Imaging DesignLine | DVB-H handheld video content protection ...

Jan 5, 2007 ... DVB-T is the European consortium standard for the broadcast transmission of digital ... Many operating systems support IPSec natively as part of the network stack. ... The same key is used for encryption and decryption. ...
www.videosignline.com/136801482?sessionId=PKMJ5ZC3XMMFF2QSN0LSKH0CJUNN2JVN?p... - 54k - Cached - Similar pages

Change: Password, SSID, WPA, Broadcast, & MAC filtering

(Password, SSID, no-encryption, Broadcasting, and no filtering) still set, ... It does prevent people from using your network even if they determine the SSID & WPA encryption key. Not stolen was part of a large liquidation sale. ...
askville.amazon.com/Change-Password-SSID-WPA-Broadcast-MAC-filtering/AnswerDetails.do?requestId..2366684 - 90k - Cached - Similar pages

Unable to set the encryption key for my wireless nic - Unix Linux ...

This is a discussion on Unable to set the encryption key for my wireless nic within the FreeBSD forums, part of the Other OS category; Hi All, ...
fixunix.com/freebsd/311728-unable-set-encryption-key-my-wireless-nic.html - 24k - Cached - Similar pages

[PDF] How to broadcast a secret

File Format: PDF/Adobe Acrobat - View as HTML
separate encryption either of the secret or of a single key with which to protect the secret. A general method for such z cscre: broadcasting scheme is ...
csns.csie.nctu.edu.tw/research/crypto/HTML/PDF/E91/E35.PDF - Similar pages
by S Berkovits - Cited by 168 - Related articles

[PPT] Part I: Introduction

File Format: Microsoft Powerpoint
Shared Media (Broadcast) Networks. Shared media net: all traffic passes thru all ... public-key crypto: Bob has a public encryption key eB and a matching ...
www.cs.biu.ac.il/~herzbea/foils/intro%20to%20net%20security.ppt - Similar pages

[PS] Inherently Large Traceability of Broadcast Encryption Scheme I ...

File Format: Adobe PostScript - View as HTML
On the other hand, a broadcast encryption scheme is said, to have c-traceability if when a set of at most c users ... In the c-traceability scheme, B i is the key of user i and ... A part of this research was funded by NSF CCR-9903216. ...
kuro cis.ibaraki.ac.jp/~kurosawa/2000/linh.ps - Similar pages
by K Kurosawa - 1998 - Cited by 1 - Related articles - All 4 versions

Regulatory Language for Export Regulations as they Apply to Encryption

(Cat 5, part II) A cryptographic algorithm using an identical key for both encryption and decryption. A common use of "symmetric algorithms" is ...
www.cdt.org/crypto/admin/regs112399.shtml - 43k - Cached - Similar pages

Multicast Encryption

A simple protocol for group key distribution in this model would be the following use encryption; extending this result to incorporate PRGs as well is part of our ongoing work. ... Broadcast Encryption. Proceedings of CRYPTO, 1993. ...
www-cse.ucsd.edu/~spanjwan/multicast.html - 27k - Cached - Similar pages

The nuts and bolts of WiMAX--Part V | Mobile Handset DesignLine

PKM uses X.509 digital certificates and RSA (Rivest-Shamer-Adleman) public-key encryption algorithms to securely perform key exchanges between the BS and ...
www.mobilehandsetdesignline.com/201801097.jsessionid=AO3FJZ0DD2YKGSNDLRCKH0CJUNN2JVN?pr... - 42k - [Cached](#) - [Similar pages](#)

WEP on ndiswrapper - MandrivaUsers.org

8 posts · Last post: Apr 1, 2005

When I went to set the encryption key on Mandrake, I got some strange errors ... ok, I understand the part about having ESSID broadcast on, ...
mandrivausers.org/index.php?showtopic=24085 - 95k - [Cached](#) - [Similar pages](#)

"All Your Encryption Keys Are Belong To Us" - RIPA Part III to ...

Our PGP public encryption key is available for those correspondents who UK press and broadcast media regarding defence and intelligence topics via the ...
p10.hostingprod.com/@spyblog.../all-your-encryption-keys-are-belong-to-us-ripa-part-iii-to-come-into-force-on-1st-oct.html - 126k - [Cached](#) - [Similar pages](#)

Network Systems DesignLine | Securing a wireless network--The ...

Here's Part II from a chapter right out of 'Home Network Security ... Think of an encryption key like a PIN code that has 64 or 128 digits instead of 4. ...
www.wirelessnetdesignline.com/197004714.jsessionid=T2DHG1ZUJHE4SQSNDLRCKHSCJUNN2JVN?p... - 45k - [Cached](#) - [Similar pages](#)

[PDF] TR 102 469 - V1.1.1 - Digital Video Broadcasting (DVB); IP ...

File Format: PDF/Adobe Acrobat

Broadcast. Network. CBMS-6. Part of the head-end that handles the resource requests and Encryption Key (SEK) or information such as entitlements. ...
www.dvb-h.org/PDF/tr_102469v010101p.pdf - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 [Next](#)

encryption key (part OR portion) broadcast

[Search within results](#) - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)


[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)


[Home](#) | [Login](#) | [Logout](#) | [Account Information](#) | [Alerts](#) | [Purchase for](#)
[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(((control word' <or> key) <and> (encrypt <or> decrypt) <and> (concatenate..."

Your search matched 5 of 1992095 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.


[Search Options](#)
[View Session History](#)
[New Search](#)
[Print](#)


Indicates full text access

| | |
|----------|----------------------------|
| IEEE JNL | IEEE Journal or Magazine |
| IEE JNL | IET Journal or Magazine |
| IEEE CFP | IEEE Conference Proceeding |
| IEE CFP | IET Conference Proceeding |
| IEEE STD | IEEE Standard |

[Narrow Search](#)

(((control word' <or> key) <and> (encrypt <or> decrypt) <and> (concatenate <or> ap

☐ Check to search only within this results set

[Display Format:](#)

[Citation](#)

[Citation & Abstract](#)
[IEEE/ET](#)
[Books](#)
[Educational Courses](#)

IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.

[view selected items](#)
[Select All](#) [Deselect All](#)


1. ELK, a new protocol for efficient large-group key distribution
 Peng, A.; Song, D.; Tygar, D.;
[Security and Privacy, 2001. S&P 2001. Proceedings. 2001 IEEE Symposium on](#)
 14-16 May 2001 Page(s):247 - 262
 Digital Object Identifier 10.1109/SECPRI.2001.924302
 Abstract | Full Text: PDF(1228 KB) [IEEE CFP](#)
[Rights and Permissions](#)
2. Secure identity authentication and logical access control for airport information systems
 David, M.W.; Hussein, G.A.; Sakurai, K.;
[Security Technology, 2003. Proceedings. IEEE 37th Annual 2003 International Carnahan Confere](#)
 14-16 Oct. 2003 Page(s):314 - 320
 Digital Object Identifier 10.1109/ICST.2003.1297578
 Abstract | Full Text: PDF(1500 KB) [IEEE CFP](#)
[Rights and Permissions](#)
3. Secure Sockets Layer
 Weaver, A.C.;
[Computer](#)
 Volume 39, Issue 4, April 2006 Page(s):88 - 90
 Digital Object Identifier 10.1109/IC.2006.138
 Abstract | Full Text: PDF(384 KB) [IEEE JNL](#)
[Rights and Permissions](#)
4. Security Protocols for Use with Wireless Sensor Networks: A Survey of Security Architect.
 Boyle, D.; Newe, T.;
[Wireless and Mobile Communications, 2007. ICWMC '07. Third International Conference on](#)
 4-9 March 2007 Page(s):54 - 54
 Digital Object Identifier 10.1109/ICWMC.2007.60
 Abstract | Full Text: PDF(220 KB) [IEEE CFP](#)
[Rights and Permissions](#)
5. Public Authentication of 3D Mesh Models
 Hao-tian Wu; Yiu-ming Cheung;

Web Intelligence, 2006. WI 2006. IEEE/WIC/ACM International Conference on
18-22 Dec. 2006 Page(s):940 - 948
Digital Object Identifier 10.1109/WI.2006.140
Abstract | Full Text: PDF (244 KB) IEEE Xplore
Rights and Permissions

[Help](#) [Contact](#)

[© Copy](#)

indexed by




[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

key and (concatenate or append)


 Searching within The Guide for: key and (concatenate or append) ([start a new search](#))

Found 18 of 1,253,562

 Refinements ([remove all](#)) [click each refinement below to remove](#)

Publication Year: 1992 ... 2001

REFINES YOUR SEARCH

[Search Results](#)
[Related Journals](#)
[Related SIGs](#)
[Related Conferences](#)

▼ Refine by Keywords

key and (concatenate)

Discovered Terms

▼ Refine by People

[Names](#)
[Institutions](#)
[Authors](#)
[Reviewers](#)

▼ Refine by

[Publications](#)
[Publication Year](#)
[Publication Names](#)
[ACM Publications](#)
[All Publications](#)
[Content Formats](#)
[Publishers](#)

▼ Refine by

[Conferences](#)
[Sponsors](#)
[Events](#)
[Proceeding Series](#)

ADVANCED SEARCH

[Advanced Search](#)

FEEDBACK

[Please provide us with feedback](#)

Found 18 of 1,253,562

Results 1 - 18 of 18

 Sort by [relevance](#)
☐ in [ex](#)
[Save results to a Binder](#)

 1 [Total correctness by local improvement in the transformation of funct](#)
[David Sands](#)
[March 1996 Transactions on Programming Languages and Systems \("](#)

Volume 18 Issue 2

Publisher: ACM

 Full text available: [Pdf](#) (513.70 KB) [Additional Information: full citation, abstract, reference terms, review](#)

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 30, Citation C

The goal of program transformation is to improve efficiency while preserving semantics. One of the best-known transformation techniques is Burstall and Darling's unfold-fold method. Unfortunately the unfold-fold method itself guarantees neither i

Keywords: correctness, improvement, operational equivalence, program transformation, unfold-fold

 2 [A Formal Model of Asynchronous Communication and Its Use in Modeling and Verifying a Biphase Mark Protocol](#)
[Moore J. Streiner](#)
[June 1992 A Formal Model of Asynchronous Communication and Its Use in Modeling and Verifying a Biphase Mark Protocol](#)

Verifying a Biphase Mark Protocol

Publisher: NASA Langley Technical Report Server

 Full text available: [Pdf](#) (135.61 KB) [Additional Information: full citation, abstract](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 7, Citation C

In this paper we present a formal model of asynchronous communication using the Boyer-Moore logic. The function transforms the signal stream generator into the signal stream consumed by an independently clocked processor.

 3 [Intrusion detection using sequences of system calls](#)
[Steven A. Holmeys, Stephanie Forrest, Anil Somayaji](#)
[August 1998 Journal of Computer Security , Volume 6 Issue 3](#)

Publisher: IOS Press

 Additional Information: [full citation, abstract](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation

A method is introduced for detecting intrusions at the level of privileged

Evidence is given that short sequences of system calls executed by runn
are a good discriminator between normal and abnormal operating charac

4 Changes in Web client access patterns: Characteristics and caching

Paul Barford, Azer Bestavros, Adam Bradley, Mark Crovella

January 1999 World Wide Web , Volume 2 Issue 1-2

Publisher: Kluwer Academic Publishers

Full text available:  [Publisher Site](#) Additional Information: full citation, abstract, cited by

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation

Understanding the nature of the workloads and system demands created
World Wide Web is crucial to properly designing and provisioning Web se
measurements of Web client workloads have been shown to exhibit ...

5 Take Command: cal

Patrick Hill

October 1997 Linux Journal , Volume 1997 Issue 42es

Publisher: Specialized Systems Consultants, Inc.

Full text available:  [Hindi](#) (5.41 KB) Additional Information: full citation, index terms

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 1, Citation C

6 Controlling generalization and polyvariance in partial deduction of no programs




Michael Leuschel, Bern Mariens, Danny De Schreye

January 1998 Transactions on Programming Languages and Systems

Volume 20 Issue 1

Publisher: ACM

Full text available:  [Pdf](#) (911.56 KB) Additional Information: full citation, abstract, referen
terms, review

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 17, Citation C

Given a program and some input data, partial deduction computes a spe
handling any remaining input more efficiently. However, controlling the p
rather difficult problem. In this article, we elaborate global control for ...

Keyw ords: flow analysis, partial deduction, partial evaluation, program
supercompilation

7 A practical soft type system for scheme




Andrew K. Wright, Robert Cartwright

January 1997 Transactions on Programming Languages and Systems

Volume 19 Issue 1

Publisher: ACM


Full text available:  [Pdf](#) (624.50 KB) Additional Information: full citation, abstract, referen
terms

Bibliometrics: Downloads (6 Weeks): 3, Downloads (12 Months): 74, Citation C

A soft type system infers types for the procedures and data structures of
typed programs. Like conventional static types, soft types express progr
and thereby provide valuable information for program optimization ...


Keyw ords: run-time checks, soft typing

8 A needed narrowing strategy

 Sergio Antoy, Rachid Echahed, Michael Hanus

July 2000 Journal of the ACM (JACM) , Volume 47 Issue 4

Publisher: ACM

Full text available:  Pdf (336.29 KB) Additional Information: [full citation](#), [abstract](#), [reference terms](#)

Bibliometrics: Downloads (6 Weeks): 5, Downloads (12 Months): 72, Citation C

The narrowing relation over terms constitutes the basis of the most impc operational semantics of languages that integrate functional and logic pr paradigms. It also plays an important role in the definition of some algor unification ...


Keyw ords: call-by-need, functional logic programming languages, narrc rewrite systems

9 Representation results for defeasible logic

 Grigoris Antoniou, David Billington, Guido Governatori, Michael J. Maher

April 2001 Transactions on Computational Logic (TOCL) , Volume 2 Issue 2

Publisher: ACM

Full text available:  Pdf (228.29 KB) Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 9, Downloads (12 Months): 47, Citation C

The importance of transformations and normal forms in logic programmi generally in computer science, is well documented. This paper investigat transformations and normal forms in the context of Defeasible Logic, a s efficient formalism ...

Keyw ords: defeasible logic, normal forms, transformations

10 HTTP Extensions for Distributed Authoring -- WEBDAV

Y. Goland, E. Whitehead, A. Faizi, S. Carter, D. Jensen

February 1999 HTTP Extensions for Distributed Authoring -- WEBDAV

Publisher: RFC Editor

Full text available:  Txt (202.83 KB) Additional Information: [full citation](#), [abstract](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 4, Citation Cc


This document specifies a set of methods, headers, and content-types ar HTTP/1.1 for the management of resource properties, creation and manz resource collections, namespace manipulation, and resource locking (coll avoidance).

11 Discovering Error Classes from Discrepancies in Novice Behaviors V Multistrategy Conceptual Clustering

Raymund Sison, Masayuki Numao, Masamichi Shimura

January 1998 User Modeling and User-Adapted Interaction , Volume 8 Iss

Publisher: Kluwer Academic Publishers

Full text available:  [Publisher Site](#) Additional Information: full citation, abstract, reference terms

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation

The automatic discovery of classes of errors that represent misconceptual knowledge errors underlying discrepancies in novice behavior is not a trivial novel approach to this problem is described, in which relationships among


Key words: conceptual clustering., multistrategy learning, student model unsupervised learning

12 [LH*RS: a high-availability scalable distributed data structure using Reed-Solomon Codes](#)

 Witold Litwin, Thomas Schwarz

June 2000 SIGMOD '00: Proceedings of the 2000 ACM SIGMOD international Conference on Management of data

Publisher: ACM

Full text available:  Pdf (155.52 KB) Additional Information: full citation, abstract, reference terms

Bibliometrics: Downloads (6 Weeks): 6, Downloads (12 Months): 67, Citation C

LH*RS is a new high-availability Scalable Distributed Data Structure (SD storage scheme and the search performance of LH*RS are basically the same as those of Reed-Solomon Codes in addition ...

Key words: Reed-Solomon Codes, SDDS, high-availability, scalable

Also published in:


June 2000 SIGMOD Record Volume 29 Issue 2

13 [Plan Realization for Complex Command Interaction in the UNIX Help](#)

Stephen J. Hegner

June 2000 Artificial Intelligence Review, Volume 14 Issue 3

Publisher: Kluwer Academic Publishers


Full text available:  [Publisher Site](#) Additional Information: full citation, abstract, reference terms

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation

Yucca* is a consultation system which is designed to provide the UNIX user through a friendly interface, with detailed expert advice on the use of the command language. One of the principal design goals of this system is to


Key words: consultation system, operating system, planning

14 ["Yes, but does it scale?": practical considerations for database-driven systems](#)

 John Russell

October 2001 SIGDOC '01: Proceedings of the 19th annual international conference on Computer documentation

Publisher: ACM

Full text available:  Pdf (231.31 KB) Additional Information: [full citation](#), [abstract](#), [reference terms](#)

Bibliometrics: Downloads (6 Weeks): 7, Downloads (12 Months): 80, Citation C

This paper explores the process of designing and implementing a database system of online documentation, and putting it live on the web for customer. Using real-life examples, it discusses practical considerations for balancing ...

Keywords: Oracle, automation, categorization, database, performance, scalability, web services

15 Common Gateway Interface for SIP

J. Lennox, H. Schulzrinne, J. Rosenberg

January 2001 Common Gateway Interface for SIP

Publisher: RFC Editor

Full text available:  Pdf (76.65 KB) Additional Information: [full citation](#), [abstract](#), [cited by](#)

Bibliometrics: Downloads (6 Weeks): 0, Downloads (12 Months): 1, Citation C


In Internet telephony, there must be a means by which new services are deployed rapidly. In the World Wide Web, the Common Gateway Interface served as popular means towards programming web services. Due to the between ...

16 Structured document storage and refined declarative and navigational mechanisms in HyperStorM

Klemens Böhm, Karl Aberer, Erich J. Neuhold, Xiaoya Yang

November 1997 The VLDB Journal — The International Journal on Very Large Databases, Volume 6 Issue 4

Publisher: Springer-Verlag New York, Inc.

Full text available:  Pdf (184.18 KB) Additional Information: [full citation](#), [abstract](#), [reference terms](#)

Bibliometrics: Downloads (6 Weeks): 2, Downloads (12 Months): 14, Citation C

The combination of SGML and database technology allows to refine both navigational access mechanisms for structured document collection: with declarative access, the user can formulate complex information needs without knowing ...

Keywords: Document query languages, Navigation, OODBMSs, SGML

17 On the optimality of change propagation for incremental evaluation of attribute grammars




Alan Carle, Lori Pollock

January 1996 Transactions on Programming Languages and Systems

Volume 18 Issue 1

Publisher: ACM

Full text available:  Pdf (205.66 KB) Additional Information: [full citation](#), [abstract](#), [reference terms](#), [review](#)

Bibliometrics: Downloads (6 Weeks): 1, Downloads (12 Months): 21, Citation C

Several new attribute grammar dialects have recently been developed, a common goal of allowing large, complex language translators to be specified by the modular composition of smaller attribute grammars. We refer to the class

Keyw ords: attribute grammar, change propagation, incremental evaluation

18 The search broker

Udi Manber, Peter A. Bigot

December 1997 USITS'97: Proceedings of the USENIX Symposium on Inter Technologies and Systems on USENIX Symposium on Inter Technologies and Systems

Publisher: USENIX Association





Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): n/a, Downloads (12 Months): n/a, Citation C

The current search facilities on the web are amazingly powerful, but they are lacking. Taking the whole universe as one flat data space and searching over it has inherent limitations of scale. The challenge is to provide users with a

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2009 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  Adobe Acrobat  QuickTime  Windows Media Player  Real Player

[Web](#) [Images](#) [Maps](#) [News](#) [Video](#) [Gmail](#) [more ▾](#)[Sign in](#)

spi_rand concatenate

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 4 of 4 for spi_rand concatenate with Safesearch on. (0.30 seconds)

[Method and apparatus for security in a data processing system - US ...](#)

The SPI_RANDOM value should not be repeated during the lifetime of one BAK. Once the SPI_RANDOM and BAK_ID are known, the CS combines them (i.e., concatenates ...
www.patentstorm.us/patents/7352868/description.html - [Similar pages](#)

[METHOD AND APPARATUS FOR SECURITY IN A DATA PROCESSING SYSTEM - Patent](#)

The SPI_RANDOM value should not be repeated during the lifetime of one BAK. Once the SPI_RANDOM and BAK_ID are known, the CS combines them (i.e., concatenates ...
www.iaqs.org/patents/app/20080226073 - 135k - [Cached](#) - [Similar pages](#)

[\(WO/2003/032573\) METHOD AND APPARATUS FOR SECURITY IN A DATA ...](#)

Once the SPI_RANDOM and BAK_ID are known, the CS combines them (i. e., concatenates BAK_ID to the SPI_RANDOM) to form the SPLSK at step 712. ...
www.wipo.int/pctdb/en/wo.jsp?iA=US2002032054&DISPLAY=DESC - 160k - [Cached](#) - [Similar pages](#)

[\(WO/2004/021153\) METHOD AND APPARATUS FOR SECURE DATA TRANSMISSION ...](#)

... hash function to the concatenation of the blocks SKI and BAK. The CS pads SPI_RANDOM to 128 bits. The CS encrypts this 128-bit value using BAK as ...
www.wipo.int/pctdb/en/wo.jsp?iA=US2003026897&DISPLAY=DESC - 214k - [Cached](#) - [Similar pages](#)

spi_rand concatenate

Search

[Search within results](#) - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)